



Class _____

Book _____

COPYRIGHT DEPOSIT

CURING CATARRH COUGHS AND COLDS

*asmes
arisen*

BY

R. L. ALSAKER, M.D.

AUTHOR OF "EATING FOR HEALTH AND EFFICIENCY,"

"GETTING RID OF RHEUMATISM,"

"CURING DISEASES OF THE HEART AND ARTERIES," ETC.



GRANT PUBLISHING COMPANY, INC.

1133 BROADWAY, NEW YORK

1924

RC736

.A4

1924

COPYRIGHT, 1917,
By FRANK E. MORRISON
NEW YORK

COPYRIGHT, 1924,
By GRANT PUBLISHING COMPANY, INC.

All rights reserved

Printed in the United States of America

MAR 28 '24

©C1A777728

CONTENTS

PART I

	PAGE
THE RESPIRATORY APPARATUS	27
MISCELLANEOUS INFORMATION	32
CAUSE OF COLDS	52
SYMPTOMS OF COLDS	62
TREATMENT OF COLDS	66
PREVENTION OF COLDS	78

PART II

CHRONIC CATARRH	91
RELIEVING CATARRH	104
CURING CHRONIC CATARRH	106
EATING IN CHRONIC CATARRH	109
SPECIAL MENUS	123
COUGHS	133
ACUTE CATARRHAL TONSILLITIS	138
CHRONIC TONSILLITIS	150
ACUTE CATARRHAL LARYNGITIS	153
CHRONIC CATARRHAL LARYNGITIS	156
ADENOIDS	159
ACUTE BRONCHITIS	177
CHRONIC BRONCHITIS	189
HAY FEVER	205
ASTHMA	216
INTESTINAL INDIGESTION	234
FOOD CLASSIFICATION	253
COOKING HINTS	260

Books That Teach
The Alsaker Way
To Health and Efficiency

Curing Catarrh, Coughs and Colds	By Mail	\$3.00
Getting Rid of Rheumatism	" "	3.00
Dieting Diabetes and Bright's Disease	" "	3.00
Curing Constipation and Appendicitis	" "	3.00
Conquering Consumption	" "	3.00
Curing Diseases of Heart and Arteries	" "	3.00
How to Cure Headaches	" "	3.00
How to Live on 3 Meals a Day	" "	2.00
Maintaining Health	" "	3.75
Eating for Health and Effi- ciency, 5 Volumes	" "	10.00

GRANT PUBLISHING COMPANY, Inc.

1133 Broadway, New York

Distributors and Publishers of the Alsaker
Books, and other Inspirational, Business
and Health Books by Standard Authors

CURING CATARRH, COUGHS AND COLDS

FACING SOME FACTS

For seven years there has been before the public a book containing a few more than one hundred pages, entitled, "Curing Catarrh, Coughs and Colds." This book has been very kindly received, thousands of copies having been distributed to all parts of the world. Many readers have written to the author and to the publishers expressing their appreciation for benefits received. Some have told of the sense of smell or hearing regained. Many have written with delight of their freedom from the annoying catarrhal discharges, after they had given up hope of cure.

CURING CATARRH,

Now there is a demand for a more complete discussion of this subject, and the author, urged by the publishers, will try to make this a more useful book than the small one that preceded it, under the same title.

In writing a work of this kind it is very easy to use technical expressions, but that curtails the usefulness of such a book. It is easy to use the so-called scientific jargon of one's trade or craft. It is more difficult to convey the facts in language so common and clear that the unprofessional reader does not have to resort too often to the dictionary. But as the object of both author and publishers is to reveal helpful thought and place useful truth before the public, I shall adhere to a simple, clear mode of expression.

Most of the highly organized trades,

COUGHS AND COLDS

crafts and arts have their peculiar codes. The medical profession has its code of ethics, which on the surface seems a thing of beauty and joy, but it is a very peculiar instrument. At least, it has been construed to mean that physicians are not to publish the truth to the public. Looking into this matter from the standpoints of esthetics, true ethics and higher morality it is very difficult to find justification for such an attitude. If we, through the study and the practice of the healing art, become expert and learn superior health truths, it is not only our right to make these truths public—it is our duty to do so. The public suffers from our mistakes; it is only just that the same public should have full benefit of any light that we can give.

CURING CATARRH,

Who supports us as professional men? The public.

To whom is our first allegiance due? To those who support us.

No trade, no craft, no art needs a higher code of ethics than the Golden Rule. There is no higher human code. No human being needs to apologize for his life if he has been of great service. As health is the foundation on which lasting success in life is built, the work of helping the public to attain improved health is its own justification.

During the years that my books have been in circulation I have received much commendation and some condemnation. One of the chief criticisms of the catarrh book has been: "There is nothing new in that book. I have always known it."

COUGHS AND COLDS

If the reader in the future is tempted to write that to the publishers, let said reader tell the publishers at the same time the name of any other book giving this systematized knowledge. Also, let said reader remember that if he has always known this, he has shown great weakness in not living his knowledge. This knowledge put into practice prevents catarrh.

But why should there be anything new in this book? What is needed is sincere understanding and application of old truths. All fundamental truths are old. The laws of nature work to-day as they worked ten thousand years ago. The same sun that gilded the Tower of Babel smiles on the Woolworth Building. The same moon that shed its pale light on Antony and

CURING CATARRH,

Cleopatra smiles on the couples spooning at night on the upper deck of the Fifth Avenue busses.

The earth, the moon, the sun and the stars are coursing through the vast depths of space in obedience to the same laws that ruled them when the human race had not begun.

The basic facts of life are today what they were yesterday, last century, a thousand years ago and in the time that Egypt was building her vast pyramids.

The facts of life are not new, but the human understanding changes. As the mind of man becomes more illuminated, more and more truth is apprehended and comprehended. The truth is a liberator. When an individual grasps his rightful share of

COUGHS AND COLDS

truth and puts it to use in his life he frees himself from disease.

Those who wish to rid themselves of catarrh should not look for novelties. They should search for the truth, and when they find it they should make it their own by living it.

We are not attempting to place before the public a book exploiting some passing fad. "Curing Catarrh, Coughs and Colds" was the first book dealing with this subject that gave a clear, comprehensive, workable plan for conquering this trouble, without attempting to exploit any fads, fancies and fallacies. The policy in this enlarged version will remain the same.

During my first year in medical college I had a very brilliant original idea. I was so pleased with it that I reduced it to writing, knowing that

CURING CATARRH,

later the world would be happy to receive it. A few months later I was reading some of the writings of Hippocrates, a gentleman who lived several centuries before the Christian Era. Great was my shock when I discovered that Hippocrates had published this brilliant original idea of mine, over two thousand years ago, using my words almost verbatim, without consulting me!

That cured me of claiming novelty for my ideas. Basic truth is eternal.

Another serious objection to the book has been that, "I have tried it and it does not work." I do not doubt the sincerity of those who make this objection. As explained in the body of the book, if catarrhal disorders have progressed so far that the tissues of the body are badly degenerated, there

COUGHS AND COLDS

is seldom complete regeneration, and hence no complete cure. But the knowledge between these covers will result in cures in at least nine out of ten cases of catarrh, if it is intelligently and persistently used.

This is a frank and intimate book. Why should it not be? What is more intimate than one's health? You will find many personal experiences from my own work. That is necessary, for I have only my own work to draw from. The names of the cases are not given for obvious reasons, and in two or three instances I have altered the occupations of the patients so that no one in my own city can recognize them. Otherwise the stories are true to life.

My reason for giving these personal stories is that they are the most helpful items in teaching health truths. Some

CURING CATARRH,

will object that I am attempting to display myself as a superior sort of a physician. I make no claims for myself, but the system which gives us good results is far superior to the old system which produced no results. In an extensive professional experience I have never cured anybody of anything, but a multitude of individuals who were supposed to be incurable have recovered under my care. Why? Because I educated them to live in harmony with the laws of nature, and nature did the curing. It is just as Paré used to say some hundreds of years ago: "God healed them."

There is no curative power in me. There is no healing power in any doctor, or in any individual of any creed or color.

There is a law running through

COUGHS AND COLDS

human life that those are healthy who deserve to be well. This is the law that I expound, and that is the reason that my advice has been requested by people on every continent of our globe. The reason that I have been able to help so many is that I realize my own unimportance, but at the same time comprehend the importance of the great natural law that rules our lives.

To illustrate why some think these teachings do not work, let us see what happened to a gentleman who came to me in the fall of 1923. He was over fifty years of age. This was his tale: "I have for years been a reader of your books. I have not only read them, but I have used them for holiday presents. But the books don't seem to help me to overcome my catarrh."

CURING CATARRH,

“Have you followed the directions?”
I inquired.

“Yes,” he asserted.

“What have you been in the habit of eating?” I asked.

“For breakfast we generally have fruit, cooked cereal with sugar and cream, bacon, eggs and toast; for lunch I generally take a glass of milk, a ham sandwich and a piece of pie; for dinner our plan is meat, bread, potatoes, sometimes a salad, sometimes a cooked summer vegetable and always a made dessert.”

I curiously inquired if he had found an eating plan like that outlined in any of my books. He admitted that he had not.

He further informed me that he never exercised, that he took no measures to maintain an active skin and a

COUGHS AND COLDS

free circulation—in fact, he took no health precautions whatever.

“At first you said that you followed direction in my books,” I commented. “After thinking it over, did you ever observe any of the rules and regulations in those books?”

“I never did,” he admitted. “But your books have so many cheerful human touches that I enjoy reading them,” he added. Then both of us laughed.

He engaged me to help him to regain his lost health. We put into practice such knowledge as you will find expounded in this volume. Six weeks later he was so improved that he could smell, something he had been unable to do for several years. He continued to live right and made a good recovery. Under the heading of Chronic Catarrh

CURING CATARRH,

you will find out how this gentleman conquered his catarrh.

Of course, my teachings were worthless to him so long as he did not live them. He did not mean to misrepresent or prevaricate, but he was careful not to apply any of the teachings until he had personal supervision!

To show how effective the teachings in this book are—when they are lived—let us have the tale of a gentleman who was very ill when he was seventy years old. On account of his age, a nervous breakdown, a subnormal heart and deranged kidneys with other ills, his doctors informed the family that he could not live another month. Then the family had the happy thought that inasmuch as he was doomed it would do no harm to call me! We stopped using medicines, and we began to smile

COUGHS AND COLDS

occasionally, and we refused to “yield to the inevitable.” We gave nature a chance.

Six months later the gentleman was regularly attending to his business again.

But what has this to do with catarrh? Listen to the patient’s own words:

“When I was ten years old I hurt my head, and although I do not remember about catarrh previous to that, I have had it ever since. As it has been with me for sixty years I thought it would remain with me to the end. But as I have been recovering in other ways I have noticed that my catarrh has been vanishing. At the end of six months it had cleared up so completely that sometimes I would go an entire forenoon without soiling a handkerchief.

CURING CATARRH,

Now, at the end of nine months, I am not aware of any catarrh."

Yes, the truth between these covers is effective when it is lived.

Within the past year a singer came to me. She told me this tale: "I have had some of your books for years, and some of my best friends have been patrons of yours. I do what your books say, but I don't get the desired results." She too thought that she was stating the truth.

The young woman had enlarged tonsils, pharyngitis and laryngitis. For years she had had nasal catarrh, which was very annoying because the secretions trickled into her throat. Her sense of smell was almost absent. Her high notes had vanished, and one had to be more than gracious to compliment her singing in the lower reg-

COUGHS AND COLDS

ister. She was impatient for results, almost to the point of hysteria. Finally I told her that if she did not intend to give nature a chance it was useless to come to me. Then she began to coöperate in the right spirit. Within two months she largely regained her sense of smell, also ability to use her high notes; she also overcame most of the discharge from the nose in that time. She had no treatment, but she received personal education in the correct mode of living.

My teachings did not work in her case either, until she started to follow them; and so it is with most of those who write and say that these teachings do not work. The knowledge is in the book, but I can't drive it into the mind of the readers as I do with those who come to me for personal direction.

CURING CATARRH,

Catarrhal conditions weaken the whole body; they tend to produce other kinds of ill health; they often are the foundation on which other dangerous illness is built; they frequently are the chief cause of premature death. Many pay little or no attention to catarrh because it does not seem to be immediately dangerous. That is a great mistake, for catarrh undermines the constitution.

In most cases catarrh is curable. Ointments, salves and internal medication often give temporary ease, but these agents do not cure.

Catarrh is a reflection of internal wrongs. To eradicate the trouble it is necessary to restore the general health—to improve the quality of the blood.

Wherever there is mucous mem-

COUGHS AND COLDS

brane there can be catarrhal manifestations. It is impossible to go into detail about catarrh in every location. It is catarrh no matter where it manifests. And it yields to right living whether it is localized in the eyes, the nose, the throat, the stomach, the intestines or the bladder. The fundamental treatment is the same. The local treatments sometimes are soothing; they often relieve, but they cannot cure.

The real cure for catarrh is to live so as to produce a stream of pure blood, which will in time build a healthy body, including healthy mucous membrane.

To get the full benefit due you from this book, do not read only the little item that you think fits your case.

CURING CATARRH,

Read the entire book. By all means read the articles on Acute Catarrh and Chronic Catarrh and the chapter of cooking hints.

CURING CATARRH, COUGHS AND COLDS

PART I

THE RESPIRATORY APPARATUS

The diseases which will be discussed in this volume are localized chiefly in the respiratory or breathing apparatus. Colds or catarrhs may manifest in any mucous membrane, but the lungs and the passages leading thereto are the most common sites.

The first part of the air passages is the nasal cavities. The nose is divided into two cavities by the central partition (nasal septum). These cavities are very irregular structures into which open recesses and large and small cells.

CURING CATARRH,

All parts of these cavities are lined with mucous membrane. This membrane keeps itself moist and lubricates itself in health by secreting mucus. When the mucus-secreting function is perverted, the mucous membrane secretes either too much or too little mucus, or it secretes mucus of poor quality. On account of the many nooks, corners and cells in the nasal cavities the mucus sometimes is not drained off but is left in some cell or cells, where it decomposes. This produces bad odor—the trouble is called ozena. Ozena can not establish itself in healthy individuals, but once it has taken firm hold it may persist even after the individual has regained health.

We should always inhale through the nose, because the nasal cavities

COUGHS AND COLDS

warm the air, remove dust and other irritating matters from it, and moisten it, thus making the air fit to enter the lungs. It makes no special difference whether one exhales through the nose or through the mouth, but the inhalation should be through the nose.

After the nose comes the pharynx, commonly called the throat. This is the common passage for food, water and air.

Into the pharynx opens the larynx or voice box. When this becomes inflamed we have the troublesome ill called laryngitis. Below the larynx is a large tube, the trachea, usually called the windpipe.

At the base of the neck the trachea branches into two large tubes, called the right and left bronchial tubes. These tubes give off many branches,

CURING CATARRH,

which divide and subdivide, until the lungs appear much like the top of a tree turned upside down.

At the end of the finest air tubes are the air cells. These cells are made up of fine mucous membrane structure. On one side is the air that we inhale and on the other side of the membrane is a beautiful, lace-like network of tiny blood-vessels. The blood in these vessels is impure, containing various kinds of waste, and especially carbonic acid gas. The blood gives up its carbonic acid gas, which passes through the membrane of the air cells and is exhaled; in exchange the blood takes oxygen out of the inhaled air, which passes inward through the mucous membrane and is taken up by the blood-stream. The blood goes back to the heart with its load of life-giving

COUGHS AND COLDS

oxygen, and the heart sends it to all parts of the body.

This blood purification in the lungs is a wonderful process, and it is a very vital one; if it stops life ceases. This is why we are so insistent on ventilation at night. Breathing impure air fills the body with poisons and wastes and depresses the vital functions.

We can live several weeks without food; we can live several days without water; but we can only live about five minutes without air.

You can see how important it is for us to breathe properly, and in order to breathe properly one must keep the breathing apparatus in fine condition. Those who have colds, catarrhs, adenoids and bronchitis cannot breathe properly.

It is not difficult to keep the lungs

CURING CATARRH,

and air passages in good condition and it is worth a great deal more than the efforts we have to make. All we have to do is to live according to the laws of Nature. In other words, if we behave ourselves Nature keeps the breathing apparatus in fine condition.

Miscellaneous Information

The ills that we shall deal with in this volume are very closely related, and they are very common. People suffer needlessly and die prematurely on account of these diseases. Almost all individuals have a touch of them from time to time, and some suffer at all times from one or more of them. And still it is easy to prevent or cure them.

The word cold is a misnomer. 'Catching cold' is a misleading phrase.

COUGHS AND COLDS

What is known as a cold is really a fever with local inflammation varying from mild to severe. Usually the temperature of the body does not rise very high, but when the cold is severe there may be several degrees of fever. The cold manifests in the mucous membrane, but it is not a disease of the mucous membrane; the mucous membrane manifestations are only symptoms. A cold is a disease of the blood and digestive organs. To be more explicit, it is an indication that the digestion and the blood are deranged.

It is generally believed that exposure to cold, damp air or to draughts will cause colds. This is not the real cause. The body has to be prepared for a cold through improper living—the way has to be paved for it—and then exposure to the rigors of the cli-

CURING CATARRH,

mate or dampness may be the trigger that sets off the cold. Those who keep their digestive organs and their bloodstream in good condition never develop colds.

Periodical colds are easy to prevent.

Catarrh may affect any part of the body that is lined with mucous membrane. So we have catarrh of the nose, throat, air passages leading to the lungs, and even catarrh of the lungs themselves; of the stomach, bowels, gall duct and gall bladder; of the urinary bladder; and of the ears and the eyes. This is only a partial list. But catarrh, no matter where located, is one and the same thing.

Acute catarrh is generally known as a cold. To clarify matters we shall in this volume refer to acute catarrh as cold, and to chronic catarrh simply as

COUGHS AND COLDS

catarrh. Chronic catarrh is a low grade of inflammation of the mucous membrane, covering a long period of time. In fact some have it from the cradle to the grave, and it is often a great aid in bringing death. It helps to reduce the resistance in many cases so that pneumonia and tuberculosis get a foothold. The cheering part is that almost every case of catarrh is curable.

Hay fever is a form of catarrh. Those who wish to get rid of this nuisance can do so, and they do not have to travel to accomplish it. They can cure themselves of hay fever right in their own homes, without fooling with serums made of pollen or such nonsense. Let them live as directed later on in this volume and they will become so healthy that the mucous membrane

CURING CATARRH,

of the nose will not cause them any trouble.

Asthma is generally due to lung irritation that is at least partly catarrhal in nature. It is usually based on indigestion and acidity of the system, covering a long period of time, and it is a curable disease. It requires right knowledge and will power to overcome it. Those who live as advocated in this book will not have asthma. The form of asthma usually called cardiac asthma, which is due to a bad heart, is not always curable. If the heart disease gets well the asthma gets well, but if the heart disease persists so does the asthma. To take drugs for asthma is foolish.

Acute bronchitis is a form of cold.

To avoid the risk of prolonged and serious disease, it should be treated

COUGHS AND COLDS

with a fast, as directed under the treatment for quickly curing colds.

Chronic bronchitis, which is generally looked upon as incurable, is chronic catarrh localizing in the bronchial tubes. Those who learn to live as they should get rid of it almost 100 times in 100 cases. There may be a few cases where the body is so weak and debilitated and the bronchial tubes so degenerated that no recovery can take place, but these are the rare exceptions. Chronic bronchitis is at times very stubborn. But the only difficulty I have had in leading these patients back to health is that they are often advanced in age and do not want to change their ways. Then the proper thing to do is to let them live in the old way and suffer in the old way, or

CURING CATARRH,

let them take their pain-killers, which often prove to be body-killers.

Catarrh of the stomach is due to irritation coming from improper eating. The remedy is obvious. Under the natural treatment these patients soon recover.

Catarrh of the bowels shows that the individual eats and drinks wrong. The form known as mucous colitis is chronic catarrh of the large intestine. It is also looked upon as incurable. I have had cases yield in less than a month, and then again I have seen cases that refused to yield completely in spite of the best of care and the most careful living. Correct living offers the only reasonable hope of a cure.

Catarrh of the ears is usually an extension of colds and catarrhs of the nose and throat. The Eustachian tubes

COUGHS AND COLDS

extend from the throat to the ears. These tubes become swollen and inflamed and the ears are affected. Catarrhal deafness is quite common. In the beginning every case can be cured without giving any local treatments. Get rid of the bad physical condition underlying the catarrh of the ear and the hearing will be restored. But allow the condition to continue for several years and the hearing may be permanently lost. Whenever the Eustachian tubes are inflamed the hearing deteriorates.

Catarrh of the gall ducts is due to improper eating, followed by irritation of these ducts. The result is bad complexion and poor color of the eyeballs. Sometimes the patient becomes greenish or yellowish in color, and this condition we call jaundice. Correct the

CURING CATARRH,

eating and the jaundice corrects itself.

Nearly every case of catarrh can recover, and on the average it takes only a few months. It is not necessary to travel or change climate to rid the system of catarrh. It is as easy to get rid of catarrh in New York and Illinois as it is in Arizona and Colorado. Those who live in the fine climates of the West know that catarrh is about as prevalent there as elsewhere. It is surprising how soon correct living will overcome all symptoms of catarrh in the average individual.

The vast majority of our population suffers from colds and catarrhs. I wonder how long people would handicap themselves in this way if they realized how easily and quickly they can overcome the condition.

There is nothing mysterious or diffi-

COUGHS AND COLDS

cult about it. Read on and learn how to rid the body of this nuisance. The best part of it is that in getting rid of habitual colds and catarrhs the individual puts his body into such splendid condition that he will not develop other diseases. And so far as germs are concerned, they are present, but they do not cause colds and catarrhs.

Sickness is a bad habit, not a necessity.

To demonstrate how easy it is to get away from colds and catarrhs, especially in early life, I shall tell you about a young man. He was about twenty-one years old and had suffered with catarrh from the time of birth. He had catarrh all the time, and during the winter months it was customary for him to have severe colds. What money he could spare he invested in

CURING CATARRH,

catarrh cures, treatments by specialists and nasal operations. Whenever he got a few dollars ahead the specialists would discover that he needed an operation to correct some ill in the nose.

In spite of change of climate and constant medicating and medical attention the young man grew worse. In his case the sure cures did not cure.

At last it dawned upon him that operations and medicines are no part of the natural game of life. The young man learned how to take care of himself and especially how and what to eat. Within a month his nose cleared up and he has not suffered from catarrh since. During the past five years he has not been ill in any way and he has not even had a cold. He is now in splendid health and he knows

COUGHS AND COLDS

how to live so as to remain healthy. He is doing good work and has out-distanced his former companions in accomplishments. This has been made possible through the mental acuteness that comes with good health. He has trained himself into health and efficiency and is traveling the road of Success. His old catarrh not only clogged up his nose and gave him poor physical health, but it partly clogged his mind.

I could tell you about many similar instances. Those who are determined to make a successful journey on life's road must have health, and no one is healthy who has catarrh!

But it is easy to get rid of catarrh. Right knowledge and the determination to put the knowledge into practice will accomplish the feat.

CURING CATARRH,

It works in infancy and in advanced years. It may be well to illustrate by relating a recent incident.

A few months ago, on the same day, a baby not quite one year old, and a gentleman of sixty-eight years came for personal consultation. Both were troubled with persistent nasal catarrh, cough and rattling in the chest denoting bronchitis. Baby Jean had had this condition over a month. Mr. W. complained that it had been growing worse for several years.

Upon investigation it was found that Baby Jean vomited after most of her meals, which still consisted mostly of milk. She also vomited when given orange juice in the water. Cheesy curds passed through the bowels. The little girl had feedings of seven ounces of milk with two ounces of water

COUGHS AND COLDS

added, at each meal. The mother could not understand what could be wrong, for she was so careful of the child.

This was the explanation given to the mother: The curds in the bowels show that the child cannot digest all of the milk taken. The vomiting after meals indicates that the stomach objects to the quantity of food given at one time. The tongue is white with red spots, instead of being smooth and pink, which shows that the stomach and other parts of the digestive tract are upset.

In other words, the baby's digestive organs are overworked. What is a reasonable procedure? To give these organs a partial rest.

On that basis, we temporarily reduced each feeding to four ounces of

CURING CATARRH,

milk mixed with two ounces of water, and kept the feedings four hours apart during the day and gave nothing but water at night. Twice a day we gave two teaspoonfuls of orange juice in the drinking water. Instead of letting the child drink unlimited amounts of water at a time, we kept the quantity down to six ounces each time water was demanded.

What were the results? The vomiting stopped immediately. Within four days no more curds could be found in the stools. Within eleven days the catarrhal condition had subsided, and the most careful chest examination failed to reveal any further sign of bronchitis.

The mother was instructed to increase the feeding very gradually, and if the child in the future shows an ex-

COUGHS AND COLDS

cessive discharge of mucus, curds in the stools, or a tendency to vomit, the mother will know that it is time to give the baby's digestive organs a partial rest. Children in condition like that usually continue to be overfed, and as a result they long remain ill, and often die after suffering for several months. A little good science plus some good sense will preserve such lives.

Let us leave infancy and return to Mr. W. He was quite dubious about such treatment, but a friend had received such great benefits that he decided to give the matter a good trial. He watched the baby with great interest and astonishment. It was difficult for him to realize that a child's health could be restored by reducing the feeding to a point where the digestive organs could do full duty. But the

CURING CATARRH,

baby's rapid recovery convinced him that "there must be something in it."

Mr. W. was over six feet tall, weighed over 230 pounds, had a protruding abdomen and could with difficulty climb stairs and hills. He had created a great organization which made and sold a product that is known all over the civilized world. But he found that as his waist line increased and his breathing capacity diminished, his mental capacity was growing less.

He had for years been eating three meals a day, consuming meat two or three times daily. He enjoyed heavy breakfasts, bounteous lunches, and large dinners.

But he preferred health to incorrect eating.

He was informed that his catarrh, colds and bronchitis were due to auto-

COUGHS AND COLDS

intoxication, and that the autointoxication was chiefly caused by an overconsumption of sweets, meats and starches, and an underconsumption of fresh vegetables. He was further told that he was eating excessive quantities of food, for he was eating as much when he was nearing seventy as he did at the age of twenty-five.

Those who desire fine health cannot eat as much after the age of thirty as they did before, especially if they grow prosperous and decrease their physical activity. Age does not need as much food as youth does.

So Mr. W. started to exercise a little. He ate less of meat, bread, potatoes and sweets. He partook more liberally of fresh berries, melons, fresh fruits and the succulent vegetables. In less than ten days he found his breath-

CURING CATARRH,

ing improved. Within a month he lost fifteen pounds and while so doing gained strength. He also lost his cough and quit worrying about his chest.

Within two months he was weighing 200 pounds, the catarrh and bronchitis had vanished, and the gentleman announced that he had not felt so well for years.

The results here given are not unusual. Children, when correctly treated, yield rapidly. Not all get as quick results as did Baby Jean, however.

Older individuals yield more slowly. Not everybody can overcome bronchitis of years' standing, but most of them can. A few can get rid of it quickly. However, those who are past the age of fifty and have had the

COUGHS AND COLDS

trouble for several years should not expect to overcome it short of several months. It is useless to waste time trying to overcome this ill through the use of medicine.

Nature heals when we live so that all the internal organs are kept pure and clean, and this can be accomplished by eating and drinking right, exercising enough to keep the circulation normal, and maintaining the elimination of the body—from lungs, skin, kidneys and bowels.

CURING CATARRH,

Cause of Colds

Anything that irritates or weakens the mucous membrane may in the end cause a cold. Those who are very careless about their manner of living invariably suffer for their errors. It may require weeks, months or even years to reduce the physical resistance so that troublesome diseases can establish themselves in the body, but improper living always results in physical disaster.

Why some persons contract one disease and others suffer from a different ill, when they make about the same mistakes, we do not know. But we do know that all have a vulnerable spot or perhaps several weak points, and here disease localizes when we deviate too much from the normal. If the mu-

COUGHS AND COLDS

cous membrane is the weak spot, then colds and catarrhs are generally the abnormal conditions that ensue.

There are many factors that cause colds. The most important one is improper eating. Of late years we have been informed that germs are the cause. If bacteria really are the cause of colds, we could never be rid of colds, for the bacteria that we find in colds are with us always—like the poor. But the truth is that the bacteria, though present, have nothing to do with the colds. We can forget about the germs, for if we keep the body well balanced and the blood sweet and clean and the digestive tract in good order there will be no colds.

Most colds are due to gastro-intestinal (digestive tract) disturbances springing from improper eating. The

CURING CATARRH.

colds may come from eating too much of protein, sugar, starch or fat. They may be due to undermastication, combining too many foods, eating too frequently, eating too much meat, eating when nothing should be taken, as in times of great excitement, worry and weariness. They are usually due to overeating of concentrated foods, taking so much of them that the digestion is unable to cope with the excess; then the food goes into abnormal fermentation, which produces poisons that irritate the entire body, after being absorbed by the blood. Some of the irritation is borne by the mucous membrane, which is compelled to secrete an excess of mucus to relieve the annoyance.

When a baby shows signs of a cold immediately after birth it is usually

COUGHS AND COLDS

because the mother has eaten too much during the period of pregnancy. When the child has a cold a week or ten days after birth it is generally because it is fed too much or too frequently. Sometimes it is due to poisonous matters coming from the mother's blood. Nine times out of ten children with colds are overfed. These children often have skin eruptions in addition to the colds. When babies are fed so much that the skin, kidneys, bowels and lungs can not rid the system of the excessive impurities the mucous membrane of the head is pressed into service. If the supply of poison in the blood is still too great the skin may become so irritated that inflammation ensues and then we have external eruptions.

It is a very simple process and any

CURING CATARRH,

one can understand it. When it is understood it can be prevented. The children are fed improperly, generally too often and too much. The result is indigestion. Indigestion always produces toxic (poisonous) matters in the digestive tract. Some of these poisonous liquids and gases are absorbed into the blood. When a great excess of them enters the blood-stream all the tissues of the body are irritated. The system tries to excrete these materials by the natural excretory channels, and failing in this presses the mucous membrane into service for extra excretory work. The toxic matters are so irritating that they cause inflammation of the mucous membranes, which in self-defense excrete an excess of mucus to soothe the irritated parts. And this process we call a cold.

COUGHS AND COLDS

It is normal and natural for all mucous membranes to secrete mucus to moisten and lubricate their own surfaces. Mucus is an albuminous lubricant, which should be secreted in sufficient quantities to keep the mucous membranes in good condition, but the excretion of large quantities of mucus is abnormal.

The same condition which manifests in excessive secretion of mucus also results in enlargement of lymphatic glands and lymphatic vessels, so we find children suffering from the catarrhal state with enlarged tonsils, adenoids and enlarged lymphatic glands in the neck.

The cold may be referred to as of the nose, of the head or of the throat, but the causes are the same.

Less common causes of colds are ir-

CURING CATARRH,

ritations due to mechanical irritants, excessive heat and chemical agents. Breathing of poisonous gases or vaporized liquids may result in colds. Colds and even pneumonia may result from the administration of chloroform and ether.

Any kind of dust may irritate the mucous membrane enough to produce a cold, if the physical resistance is low. Miner's and marblecutter's consumption is largely due to the excess of dust in the air. First this irritates the respiratory passages, producing excess of mucus secretion. After a while the irritated and overworked mucous membrane is weakened and then it is a favorable site for serious disease to develop. Tuberculosis often results. It is first irritation, then inflammation and then ulceration.

COUGHS AND COLDS

In the same way excessive heat or cold will produce irritation of the mucous membrane, resulting in a cold.

Some people take cold and suffer for weeks and even months. The winter is the favorite time for protracted colds. These colds are luxuries easily dispensed with.

Constant breathing of impure air is a great aid in catching cold, for it prevents the entry of sufficient oxygen into the blood. Then the internal combustion is not as complete as it should be and the result is the retention of toxic matters within the body.

Those who fail to eat fresh fruits and vegetables also get into a toxic condition. They overeat of the concentrated staple foods, such as cured meats, refined sugars, cereals, especially white flour products, and fats,

CURING CATARRH,

all of which are comparatively poor in the salts that are essential for physical welfare. These salts are found in abundance in whole wheat products, raw fruits and raw vegetables, and in the fresh milk that has not been cooked. Cooking destroys some of the salts so that the body is unable to use them. Also, in cooking vegetables and draining them, a large portion of the salts is lost.

Anything that lowers physical resistance increases the tendency to have colds. Tea, tobacco, coffee, alcohol, worry, anger, jealousy, sexual excess, prolonged exposure to heat, cold or moisture, overwork, fatigue, laziness, close housing and too warm clothing are some of the factors that produce colds, but improper eating is by far the most important cause.

COUGHS AND COLDS

Draughts are often given as the cause, and it is common for people to say that they caught cold in church, theater or cars. This is impossible if the body is in good condition. However, a draught or exposure will lessen the amount of blood in the vessels near the surface of the body, driving the blood into the internal organs. In a toxic condition of the body this may be all that is necessary to produce a cold, but the foundation must have been laid previously.

Please remember that improper eating, especially overeating of concentrated foods, is the greatest single factor in producing colds. Instead of being caught through exposure or draughts, colds are usually taken at the table. We eat ourselves into colds.

Those who keep themselves in good

CURING CATARRH,

physical condition can meet the ordinary vicissitudes of life and expose themselves to germs and they will not "catch cold." Dampness and draughts will not have any evil effects on them.

Eat properly and prevent colds.

Symptoms of Colds

The symptoms vary with the location of the cold, but it is not very important to draw an exact picture of this trouble, for everybody knows what colds are.

If the eyes are affected they water and are sensitive to light. If the frontal sinuses (cavities in the bones above the eye sockets) are affected there is headache. If the trouble is chiefly in the nose sneezing and head-

COUGHS AND COLDS

ache are usually early symptoms. If there is no headache there is a feeling of oppression or dullness. The mucous membrane becomes red and swollen. At first the discharge is watery and irritating, and later thick and even purulent in character. In severe cases the nasal ducts are closed and the tears flow down the cheeks.

As the sense of taste is largely dependent on the sense of smell, foods lose much of their savor while colds in the head last. The sense of smell is much affected, sometimes being suppressed. In severe cases fever blisters (labial herpes) are common. The mucous membrane may be so swollen that nasal breathing is difficult or impossible.

In laryngeal colds there is cough.

CURING CATARRH,

Bronchial colds (colds on the chest) are accompanied with oppressive breathing, deep cough and expulsion of mucus.

In colds of the throat the hearing is usually affected. The Eustachian tubes are more or less closed and this impairs the hearing.

Severe colds are generally preceded by headache and soreness or pain in back and limbs. Chills are common, followed by fever, which is usually not high. The gastro-intestinal symptoms are usually those accompanying a mild fever, that is, partial suppression of the secretion of the glands which produce digestive and lubricating fluids. That is why constipation is so common in this condition.

Diagnosis presents no difficulty. The patient does his own diagnosing.

COUGHS AND COLDS

The outcome is always favorable under proper treatment. However, if the treatment is incorrect, as it usually is, the cold may last for weeks and even months, and it may be the starting-point of other ills which may destroy life. Those who have been subject to colds and catarrh are easily affected by pneumonia and tuberculosis after the colds have lasted long. The chronic state of inflammation weakens the mucous membrane of the respiratory tract, and then it is easy for disease to localize here.

When a cold is neglected or poorly treated, the result is frequently chronic catarrh. Those who are subject to frequent colds often develop chronic catarrh, chronic bronchitis or some other respiratory disease.

CURING CATARRH,

Treatment of Colds

The usual treatment is medical, the idea being to suppress the outflow of mucus and to stop the cough. This is wrong and may result in great injury to the patient, or even in death. If the system is so full of poisons that they can not all escape through their natural channels, the proper way is to treat the body so that it ceases manufacturing excessive amounts of poisons, and at the same time allow the body to rid itself of the impurities already in the system. By suppressing the flow of mucus by means of remedies that constrict the mucous membrane we lock the toxins up within the system. If they are not allowed to escape they invariably cause trouble. A filthy body can not properly per-

COUGHS AND COLDS

form its functions and if it is prevented from showing its abnormality in one way it will find another.

The two favorite remedies at present are quinine and opium in some form. The quinine is the less objectionable of the two, but it does not produce good results and it sometimes injures the hearing. The opiates suppress the secretion not only of the mucous membrane of the respiratory tract, but of the digestive tract as well. Result: The constipation, which is usually present, is made worse, and the impurities in the system are retained. Cathartics are usually given. The intestinal tract should be thoroughly cleaned out, but this can not be done effectively while opiates are given.

We have briefly touched upon the

CURING CATARRH,

usual treatment, which is not good. Let us discuss the correct, natural treatment, which brings good results and which is not followed by complications.

The proper treatment is to cleanse the system. When a cold appears, give a laxative and wash out the colon with a warm water enema. Repeat until the alimentary canal is open and free from waste, but it is not necessary or advisable to use drastic cathartics. Any mild cathartic will do, such as castor oil, milk of magnesia, citrate of magnesia, your favorite salts, mineral water, cascara sagrada, or other mild cathartics.

In order to relieve the engorged mucous membrane and to make the skin active, the sufferer should take a prolonged hot bath, using the water as

COUGHS AND COLDS

hot as he can bear it. The bath may last from twenty minutes to an hour. During the bath, let the ventilation be good, and give all the water that is desired to drink, either warm or cold. Warm water will aid to establish perspiration, and is therefore preferable. If there are signs of faintness, drink cold water and apply cloths wrung out of cold water to the forehead. After the bath wrap up well, preferably in woolen garments, until the perspiration ceases. A blanket makes a good wrap. When the perspiration stops, dry the body well, using considerable friction, or sponge off with cool water and dry the skin. Then remain in bed seven or eight hours.

Such treatment, if used in the very beginning, will break up what threatens to be a severe and prolonged

CURING CATARRH,

cold. The earlier it is applied the more effective it is.

Those who like to take Turkish baths or prolonged steam baths or treatment in a hot-room, may do so. The object is in all cases to equalize the circulation, to bring much blood to the skin and to induce perspiration. Half-measures do no good. It is necessary to apply much heat and to remain in the heat long enough to produce a free flow of perspiration. A thorough application of heat until the perspiration freely pours out will often stop an attack of pneumonia in the early stages, that is, within a few hours of the onset.

Some prefer to apply hot greasy substances, such as lard or oil, to the chest. There is no objection to this. Strips of flannel may be wrung out

COUGHS AND COLDS

of hot oil and then wrapped around the chest; apply dry covering over this to retain the heat. Be careful not to burn the patient. Hot water or hot air are not quite so dangerous as hot oily substances. The principle is to get the surface of the body warm and keep it that way long enough to open the pores and bring about free perspiration. The manner of doing this is of minor importance.

This treatment is very effective in mild cases of colds, but is usually not resorted to unless the cases are severe.

In order to be sure of quick, dependable results, no food should be taken until the fever and discomfort of the respiratory tract have subsided.

To make this quick and sure treatment perfectly easy to understand, we shall tabulate it, and please remember

CURING CATARRH,

that instructions must be followed to the letter:

1.—Do not neglect the cold, but as soon as you feel it coming on take enough of your favorite laxative to move the bowels freely.

2.—Also take an injection (enema) of tepid water with a little Castile soap dissolved in it.

3.—Take a bath hot enough and protracted enough to produce copious perspiration. If necessary, remain in the bath a full hour.

4.—Before entering the bath, drink all the warm water you can and continue to drink warm water while taking the bath.

5.—After the bath wrap up in woolens and remain wrapped up until the perspiration stops. Then either sponge the body off with cool water

COUGHS AND COLDS

and dry off, or give the skin a thorough dry rubbing from neck to feet.

6.—Go to bed and remain there from six to eight hours. Have plenty of fresh air, but no draughts.

7.—Eat absolutely nothing until the cold is thrown off. You can have all the lemon juice you desire, or plain lemonade, but no sugar in it. There is to be no eating of any kind, liquid or solid; take nothing into the stomach except water and, if desired, lemon juice. (I hope the reader will understand that I mean *nothing but water*, with or without the addition of lemon juice.)

8.—Repeat the cathartic and the warm water injection if necessary to get a bowel movement. This is important.

If this kind of treatment is insti-

CURING CATARRH,

tuted just as soon as the cold appears it will rout the cold within twenty-four hours in nearly every case. *But there is to be no feeding.* Those who allow the cold to get a good hold can break it up in the same way, but the longer it is neglected, the more of this kind of treatment is necessary.

This may be looked upon as a severe plan, and perhaps it is, but when carried out in the beginning it is always successful. What is best, to undertake this kind of treatment and recover within twenty-four hours, or at the most within two or three days, or act according to the popular plan so that the cold may last for weeks or months? You can do as you please.

Those who carry out this plan will not eat anything until the cold is gone. It seldom requires as long as three

COUGHS AND COLDS

days to overcome a cold if it is taken in the beginning and these instructions are carried out to the letter. It is a cleansing treatment, for it cleans the bowels, the skin and the respiratory tract, and in this way it also cleans the blood.

I know that there are many repetitions in these instructions, but if the reader had as much experience with the sick as the writer has, no explanations would be deemed necessary. Instead of apologizing, I shall repeat once more in tabloid form:

The best way to cure a cold is to take it in the beginning, produce free perspiration, thoroughly clean out the digestive tract, give all the water desired and a little more, but eat nothing until the cold has disappeared.

This information is worth many

CURING CATARRH,

times the price of this book, and will save thousands of lives every year if put into practice.

When the cold is gone, begin to eat again, but do not go back to the old habits that produced the colds.

Some like to have their colds longer. They can get fairly good results by keeping the bowels clean and living on a very simple diet, and we shall outline a few diets that will be found effective:

1.—Whole wheat toast with butter and glass of milk three times a day.

2.—Juicy fruit three times a day.

3.—Juicy fruit two times a day, and a third meal of milk with or without toast. Buttermilk may be used any time instead of milk.

4.—Juicy fruit once a day; cooked succulent vegetables and raw salad

COUGHS AND COLDS

vegetables for the second meal; third meal, toast and milk.

But those who eat when they are suffering from a cold are not treating themselves right. It is not correct conduct. The right way is to stop eating and keep the bowels clean until the cold vanishes. (This is more repetition.)

When the cold is gone, begin to eat in a balanced way. Do better than you did previously and there will be no severe colds. Do the right thing by your body and there will be no colds whatever. It is impossible to retain good health if one partakes of too much food, or lives almost exclusively on the concentrated staple foods. And this is especially true of those who do indoor work. Those who are in the habit of catching cold

CURING CATARRH,

may be sure that their mode of living is wrong, otherwise they would not have enough poisons in their bodies to produce inflammation of the mucous membranes with an excessive flow of mucus.

Prevention of Colds

Colds are not necessary. Those who are determined not to have them can be without them. Correct knowledge and will power are the two ingredients necessary to keep colds away. You will have to supply your own will power. I can supply the knowledge, and then in the small-boy vernacular you can take it or leave it.

Colds are practically unknown to those who live the simple life in the open. It is a disease of civilization to suffer with colds. Colds mean that

COUGHS AND COLDS

our habits of living are so abnormal and unnatural that we must return to more natural living methods in order to enjoy good health. Let us read Nature's book, and learn the few simple means that will prevent colds, as well as other diseases.

1.—In a state of nature man had to gain his bread by the sweat of his brow. This means that he had to undergo a great deal of muscular activity. He not only had to sharpen his wits to capture his food, a large part of which ran about the plains and forests on four legs, but he had to exercise enough to keep his body supple in order to keep from starving. With creaky joints came slowness, and with slowness came lack of food, and then privation and starvation. In ye good days of yore the weak and decrepit were often al-

CURING CATARRH,

lowed to die because they had served their purpose.

With such training in the infancy of the race, our bodies have attained such forms and functions that we must be physically active to remain physically well.

So the first point in the prevention of cold—and other ills—is to exercise. Those who live in the cities should take five minutes or more of vigorous exercise night and morning, and besides walk two or three miles in the open every day. Those who work with their hands should take corrective exercises to keep their bodies in good condition. Work and exercise are two different things.

2.—As we have already discovered, primitive man had to exercise or starve. In exercising he got deep

COUGHS AND COLDS

draughts of pure air. In those days the female of the species did not encumber her chest and waist and hips with armor (corsets) and she could breathe as well as her lord and master. Deep breathing was the mode in those days, for those short of breath could not prey upon the lower animals, and that meant starvation.

The second point in the prevention of colds—and other ills—is to breathe deeply of fresh air. Get as good air as possible. At night leave the windows wide open and get the splendid night air which helps to bring to the individual vigor and a clear head in the morning. Those who do office work should take a dozen or more slow, deep breaths morning, noon and night when in the fresh air. If the chest expansion is two inches, increase it to

CURING CATARRH,

three; when it becomes three inches, increase it to four. Have at least four or five inches of chest expansion before you are satisfied, and then breathe deeply.

3.—In the good old days when the race was young, the white race seems to have been quite ignorant of tea and coffee. Water seems to have been the beverage. It is true that they brewed beer and turned grapes into wine even in history's dawn, but read the Good Book and learn how one of the early patriarchs disgraced himself, and what a misfortune befell his son and the sons of this son, through imbibing the fermented fruit of the vine.

The third important point is that one's drink should be water. At least it should not be a fluid containing

COUGHS AND COLDS

drugs, as do tea, coffee and alcoholic drinks.

4.—I do not pretend to have delved deeply into the psychology (mode of thinking) of our savage ancestors. If we could transplant a remote ancestor into the present century, I am afraid that most of us would call him a brute and try hard to pluck him from the family tree. It is no longer the mode to beat one's beloved into submission and unconsciousness and drag her to the new home. It is not being done openly in our best families. Researchers tell us that this was proper in the days of old.

So we are compelled to improve on the ancients in this respect. The tension of civilization is so high that those who desire the best of health have to keep the mind well balanced. The

CURING CATARRH,

high spirits (bad temper) so fashionable in the novels of the writers who have been gathered to their fathers will not do now. Those who wish the best of health have to avoid violent temper and cultivate mental poise and equanimity. Yes, this is a part of preventing colds and avoiding other ills. An unbalanced mind helps to make the body sick.

5.—In the good old days it was rather difficult to get enough clothing. The men wore very little and the ladies could promenade with even lower cut waists and shorter skirts than the styles of recent years allow without being thought immodest. To-day we protect our skin with clothing, and the consequence is that it becomes weak and does not properly perform its functions. In the olden days the skin pro-

COUGHS AND COLDS

tected the body. The sun and the rain and the cold beat upon it and made it strong and stimulated it to do its work. The excretory function of the skin is the same to-day as of yore. But when the skin is pampered and protected it does not function as it should. It becomes lazy and a part of the waste is retained in the blood.

The remedy is to dress sensibly. Wear no woollens next to the skin. Do not put on so many clothes that the skin stays moist and hot at all times. And give the skin a thorough dry rubbing with something coarse (coarse towel or flesh brush, for instance) each day.

6.—The most important part of the treatment in overcoming the habit of taking cold is to eat correctly. If space permitted, an entire manual of

CURING CATARRH,

food preparation would form a part of this book. This is not practicable, so a few important hints regarding food and eating are here given and the reader is requested to study with great care the last two chapters of this book.

It is hard to overemphasize the importance of correct preparation and thorough mastication of food.

Eat slowly and masticate everything thoroughly. Overcome the bad habit of gulping down foods.

Eat in moderation. Always stop eating before there is a sense of satiation and discomfort.

Eat more of fresh fruits and fresh vegetables than has been your custom.

Eat less of white flour and white sugar than you have been in the habit of consuming.

COUGHS AND COLDS

Instead of using so much white flour, use whole wheat flour and products made of corn and rye.

Instead of using so much white sugar, use brown sugar, honey, maple sugar, or the sweet fruits—raisins, figs, dates, sweet prunes and ripe bananas.

Instead of living on pickled and preserved foods, learn to live on fresh foods.

Under ordinary circumstances meat is to be eaten only once a day. Eating meat several times a day will surely produce disease, especially in those who do light work.

Foods should be plainly cooked, and should not be spoiled with such seasoning as pepper, mustard and vinegar. Nor should foods be messed up with milk and flour gravies (usually called

CURING CATARRH,

cream gravies) and the brown flour gravies.

The general rule should be to eat plain foods. Desserts should be the exception, not the rule.

Eat something raw every day. Raw fruits and raw salad vegetables are the best for this purpose. Nearly all fruits may be eaten raw. Some of the raw vegetables are rather difficult to digest, but the majority will be able to eat the following vegetables uncooked: Cabbage, lettuce, celery, cucumbers, radishes, tomatoes, endive, romaine and mild onions.

The inhabitants of cities as a rule need only one hearty meal a day, with one or two lunches. Those who do light work and eat two or three hearty meals daily are sure to make themselves ill.

COUGHS AND COLDS

Use only a few different kinds of food in a meal. It is unnatural to mix and mess up a great variety of foods for one meal. The digestive organs object to it, and in the end rebel, and that means sickness. Most of the time do not eat more than four varieties of food at a meal. If you are satisfied with one or two kinds of food for each meal, so much the better. If you have one kind of protein in a meal, that is all the albuminous food you need. If you have one kind of starch in a meal, that is sufficient variety of starch. If you don't know what proteins and starches are, turn to food classification at the end of this book.

Let us further condense the formula for preventing colds:

1.—Take daily exercise.

2.—Breathe deeply.

CURING CATARRH

3.—Drink what water the body needs and avoid drug drinks.

4.—Get into a balanced state of mind.

5.—Eat properly.

That seems a brief way to put it, but let us condense the formula for preventing colds still further. You ought to be able to remember two words:

Live right.

Then you will have no colds nor any other kinds of ills.

PART II

CHRONIC CATARRH

I am purposely repeating some of the facts that have been given under colds, but not all of the important facts. Colds and chronic catarrh are really one and the same thing. Colds generally last but a short time, while chronic catarrh usually endures for years and sometimes as long as life lasts. But outside of the time element colds and chronic catarrh are the same. Please read the part dealing with colds, for it will help you to understand what is written in the pages about chronic catarrh. The repetitions made are important.

It is not necessary to repeat the

CURING CATARRH,

causes of catarrh, for they are the same as the causes of colds, and you can turn to the pages regarding colds and reread what is there written.

Chronic catarrh is one of the most common and troublesome of human ills. It is as wide-spread as civilization. Though it does not in itself cause many deaths, that is, though very few death certificates will give chronic catarrh as the cause of death, chronic catarrh with constipation lay the foundation for more deaths than any other physical troubles. These two conditions cause such a deterioration of the system that other diseases are built upon them, and then these ultimate diseases are given as the causes of death.

Let us summarize the causes of most diseases:

COUGHS AND COLDS

1.—The individual lives wrong, and more especially eats improperly.

2.—The incorrect eating, aided by other bad habits, produces indigestion, which may not cause any special inconvenience, but manifests itself to the keen eye in such symptoms as furred or coated tongue, canker, “cold sores,” bad complexion, pimples, nervousness, and unnatural color of the white of the eyeball.

3.—After the digestion has been perverted, the blood-stream becomes impure and the body very frequently turns too acid (sour).

4.—Then catarrh and constipation generally appear upon the scene.

5.—In this condition, from which at least one-half of our population suffers, it is possible to take on any kind of disease going. Those who keep

CURING CATARRH,

their blood-stream sweet and clean, and live so as to avoid constipation, will not have catarrh or any other disease.

Please remember that catarrh is not due to the climate; it is not due to germs; but it is due to wrong living, and more especially to incorrect eating. Those who eat properly can not develop a typical case of chronic catarrh.

✓ Although catarrh is a digestive and blood disease, it manifests in the mucous membranes. It is the cause of thousands of cases of deafness. Catarrhal deafness is always curable if taken in hand and properly treated before structural changes have occurred in the ears. But after the structural changes have taken place the hearing will not return. It is not necessary

COUGHS AND COLDS

to give any local ear treatments in the curable cases, but it is necessary to feed the patient right and teach him to live right otherwise.

Catarrh may localize in any part of the mucous membrane of the body. I shall mention a few of the medical names given to chronic catarrh in various parts of the body, without defining them. Really, they are not of great importance, and you need not look them up unless you are curious: Blepharitis, otitis, rhinitis, bronchitis, gastritis, enteritis, colitis, proctitis and cystitis. Remember that catarrh, no matter where it occurs, is the same thing and that these fancy names do not matter.

In chronic catarrh the mucous membrane may either become thickened or it may be very thin (atrophied). It

CURING CATARRH,

usually becomes engorged and swollen in the early stages of the process, and then excessive amounts of fibrous tissue are deposited. This fibrous tissue has a tendency to contract, and if the catarrh is very bad the contraction may continue until the mucous membrane becomes too thin and pale, indicating poor circulation.

In the beginning the catarrh is of the moist variety. Great quantities of mucus are poured out. This shows that the blood is surcharged with impurities which escape by way of the mucous membrane. The mucus is an albuminous fluid and when it is discharged as catarrhal waste it weakens the body.

The catarrh may turn into the dry variety, and then crusts of dried mucus form in the nose or other parts lined

COUGHS AND COLDS

with mucous membrane. Most of the children who have the disgusting habit of picking their nose are suffering from catarrh, and the mucous membrane has degenerated so that it is unable to keep itself clean. Those who superintend the feeding of the children are always to blame, for if the young people are properly fed they will not develop catarrh.

If catarrh is allowed to remain long the mucous membrane is forced into degeneration. It can not be overworked without being weakened. A weakened mucous membrane becomes an ideal site for many different kinds of diseases, a few of which we shall name: Tuberculosis, ulcerated stomach, cancer of the stomach, gall-stones, ulcers of the intestines, pneumonia,

CURING CATARRH,

kidney stones, stone in the bladder, bladder ulcers and many other ills.

Catarrh is one of the most prolific causes of consumption, and as consumption probably kills more than fifteen out of every hundred individuals it will be seen how necessary it is to prevent and cure catarrh.

Many of the disturbances of the stomach, liver and intestines are of a catarrhal nature.

Most of the ills of the nose, throat and lungs are also catarrhal.

The eyes and ears also suffer much from catarrh.

Knowing these facts, it seems to me that everybody who has catarrh would want to get rid of the nuisance, for so long as it remains it threatens to bring disease upon us. Those who suffer from catarrh easily fall victims to va-

COUGHS AND COLDS

rious acute ills, such as bronchitis, pneumonia, typhoid fever and appendicitis, to mention but a few.

And it is easy to rid the body of catarrh. It is surprisingly easy in the young.

The average young individual can get rid of catarrh in a few weeks or a few months. That is, all the symptoms will disappear in a short time. But it requires considerable time to build up the system so that the catarrh is really cured. A true cure is not accomplished until the blood-stream is so clean that there is no need of forcing large amounts of poisons out through the mucous membrane. I have seen all the symptoms of chronic catarrh of more than twenty years' standing disappear in less than two weeks. But the individuals are not

CURING CATARRH,

well as soon as the symptoms disappear. The recovery is complete when every part of the body becomes sweet and clean, which requires a few months even in young individuals.

After a person has had catarrh for forty, fifty or more years it is rather tedious to conquer the condition, but it can be done. Catarrh has then become an established habit, and habits are hard to break. The body clings to its old habits. Those in advanced years who wish to overcome catarrh can do so by living as they should. Catarrh is always curable until it has caused extensive degeneration of the physical structures. If extensive structural degeneration has occurred, there will not be complete regeneration, though improvement and partial regeneration often take place. The

COUGHS AND COLDS

reason why some cases of catarrhal deafness can not recover is that structural changes have occurred in the ears.

Degeneration means that high grade physical structures have been replaced by low grade structures, and the general rule in the human body is that low grade structures can not be replaced by high grade structures. That is why a fatty heart can not again become as strong as it was originally; that is why a degenerated nerve can not fully regain tone; that is why a large scar will always be a scar; that is why a fibrous liver can not again become a normal gland; and that is why a structurally degenerated mucous membrane will not return to normal.

Here is the greatest rule of curability which applies to catarrh and all

CURING CATARRH,

other ills: If the body functions are deranged, cure is probable under correct treatment; but if the body structure is degenerated, a complete cure is very improbable.

But most cases of chronic catarrh are curable, and nearly every case can be helped, even if there is structural degeneration.

Medicines are a delusion and a snare. They never have cured catarrh and they never will. The market boasts of many catarrh cures. I have not given these cures special attention for a few years, but I know that until the Harrison law was passed the catarrh cures (so-called) often contained habit-forming drugs. One can suppress secretions with cocain, morphin, atropin and other medical agents, but it is folly to do so. Such

COUGHS AND COLDS

treatment may produce a craving for drugs too strong for the victim to control. It may also produce fatal diseases through suppressing the secretions and excretions of the body. The excessive flow of mucus in catarrh is not the disease; it is only the symptom pointing to the fact that the blood is unclean. Think of smearing a little salve on the mucous membrane, or spraying the mucous membrane, and calling it curing! Why fool with the symptoms, when the proper thing to do is to go to the root of the trouble, remove the cause or causes and thus produce a cure?

And why spend your good money on medicines under the belief that they will cure catarrh, when they can't possibly do so? There are drugs that

CURING CATARRH,

will give relief, but relief and cure are very, very different.

There is only one sure cure for catarrh, and that is right living; but let us give a little attention to relief measures.

Relieving Catarrh

For catarrh of the eyes, gently wash the lids with clean water or with water containing a small amount of boracic acid. Use no strong solutions, for they may injure the mucous membrane. In bad cases guard the eyes against strong light.

For nasal catarrh, especially the kind forming hard crusts, use an oily spray in an atomizer; or grease the nose with sterile white vaseline; or use a little camphor ice for the purpose of greasing the nose. Any kind of anti-septic wash that is so mild that it does

COUGHS AND COLDS

not irritate the mucous membrane may be used. Some sniff salt solution. This does clear the nose, but if it is used too often and very strong it has a tendency to harden and dry up the mucous membrane, which is exactly what we do not wish to happen. A weak solution of baking soda in water is all right for a nasal wash.

For catarrhal deafness of short duration you may try a cold pack on the neck. Dip a cloth in cold water; squeeze the water out so that the cloth does not drip; place it on the neck and over it put dry flannel and let it stay for thirty or forty minutes. Renew as often as you please. It may help to clear the throat, and relieve the engorgement of the Eustachian tubes, and then the hearing will improve.

CURING CATARRH,

For catarrh of the throat take the juice of one-half of a lemon in water every morning. Do not put sugar into this. Those who have catarrh of the nose and throat should gargle and clean their mouth well every morning.

Lemon juice and water are also good in cases of catarrh of the liver.

But these are not curative measures. They are simply measures of cleanliness applied to the symptoms. What every one should seek is a cure, and that consists in correct living.

Drugs may be used to relieve. It is best not to take them, for they do not cure, and they may do harm.

Curing Chronic Catarrh

Nearly every one who has catarrh can get permanently well. It takes

COUGHS AND COLDS

determination and stick-to-it-iveness, but the cure is worth the effort, and a great deal more. Those who get rid of catarrh in the right way will build for themselves such robust health that they will be able to go through life without any disease. Surely it is worth while to change a few habits in order to gain dependable, permanent health.

Most of those who suffer from catarrh are constipated. Depending upon how long the constipation has lasted, this abnormal condition can be overcome in a fairly reasonable time. The cure is the same as the cure of any other disease—to live as you should. A few bending exercises, deep breathing, kneading the abdomen and proper eating are the most important measures employed in conquering constipation. The eating must have special

CURING CATARRH,

attention. To overcome constipation it is necessary to eat the fresh natural foods so that the blood will become purified and the entire physical structure will be toned up. Fresh fruits and fresh vegetables should form a large part of the diet and the sufferer should reduce the intake of white flour and white sugar products, substituting the natural sugars found in such foods as honey, raisins, figs and dates, and the natural grain products such as whole wheat flour, rye flour, corn meal and other ground or crushed or shredded or puffed grain foods that have not been robbed of their valuable mineral salts. The use of white flour products and white sugar help to produce constipation. They are too refined. The natural foods help to keep the bowels in normal condition.

COUGHS AND COLDS

If the constipation is severe it will be necessary to use injections or mild cathartics. They do not cure, but they help to keep the bowels clean, and one of the important measures in curing catarrh is to keep the bowels clean.

The exercise, breathing, drinking and thinking points discussed in the part of this book dealing with colds apply to chronic catarrh as well. Because the blood is unclean it is important to give the skin good care, rubbing it daily. This helps the skin to remain active, and an active skin helps to remove much waste from the bloodstream.

Eating in Chronic Catarrh

At least nine-tenths of the causes of chronic catarrh are dietetic errors. Hence the most important part of the

CURING CATARRH,

treatment is to learn how to eat properly. The average sufferer eats anything and everything in all kinds of combinations. He has no idea about correct combining of foods. He thinks that he needs a great deal of nourishing food and he lives up to his belief, and builds disease. His suffering is self-imposed martyrdom. Lack of knowledge is back of it, but Nature also says that "Ignorance of the law excuses no one." She doles out disease equally to those who disregard her laws through ignorance and to those who disregard them through weakness or perversity.

Because the eating is so important in catarrh I shall give a number of general rules, and then some menus, showing how those afflicted with chronic catarrh should eat.

COUGHS AND COLDS

1.—Thoroughly masticate all food, and eat slowly. This applies not only in chronic catarrh, but in every other chronic disease. It applies not only in disease, but in health. The first and most important rule regarding eating is: Thoroughly masticate all foods, and eat slowly.

2.—Be moderate in eating. This is almost as important as the first rule. Catarrh is based on wrong eating, and overeating is one of our gravest dietetic sins. Overeating causes indigestion; indigestion produces an excess of internal gases, too much acidity and poisons due to decomposition of foods in the digestive tract. Some of these products of indigestion are absorbed into the blood, which becomes unclean and may become acid in reaction. The blood circulates to all parts of the

CURING CATARRH,

body, spreading the disease to every cell. When the blood and all the other tissues of the body become unclean some disease will appear, and often this takes the form of catarrh.

Be moderate in eating.

“What is moderation in eating?” you may ask.

Moderation in eating is to partake of enough food so that the body is well nourished but has no food left over with which to build disease. Those who eat too much will have one or more of the following symptoms: Muddy complexion, yellowish or grayish skin, pimples or blotches, boils, itching of the skin, a tinge of green or yellow in the white of the eyeball, frequent colds or catarrh, coated or pale tongue, canker, sour or acid stomach, gas in the stomach or bowels, drowsy feeling

COUGHS AND COLDS

after some of the meals, that tired feeling, a dull feeling upon arising in the morning, bad taste in the mouth in the morning, distaste of water in the morning, a heavy, dull feeling in the morning, oppression of head or headaches. These are symptoms of a system cloyed and clogged with food. Some of these symptoms, but not all, are present in every individual who overeats. Obesity (fatness) is always a symptom of overeating.

Those who eat in moderation will not have these symptoms. They will look well and they will feel well. They will arise in the morning able to appreciate and enjoy the beauties of nature, and will be ready for a day's work. They will have no aches and pains and will not have any spite to take out on their associates due to a

CURING CATARRH,

deranged liver. Those who eat as they should will be bright and clean both physically and mentally.

Be moderate in eating.

3.—Prepare your foods according to directions in chapters 8, 9 and 10 of “Eating for Health and Efficiency.”

4.—Eat plenty of fresh foods, and avoid as much as possible pickled, preserved and cured foods. When chemicals are used for preserving foods (common table salt is a chemical) the health values of these foods are lowered. Fresh foods are best. It is always possible to have fresh fruits and vegetables. In summer they are plentiful, and many fruits and vegetables keep well in winter. It only requires a little planning to have apples, oranges, bananas, raisins, figs,

COUGHS AND COLDS

dates, cabbage, carrots, turnips, beets and parsnips all winter. This is but a partial list. In addition one can have foods canned in plain water, and the vegetables canned in this way are very good. Also, one can obtain fruits that have been dried without the use of chemicals and these are very good.

5.—Have the foods as natural as possible. Try to avoid such impoverished foods as refined white sugar, patent white flour, polished rice and cured meats and preserved fruits. Use the brown flour, brown rice, brown sugar and honey and maple sugar and the sweet fruits, fresh meats, fresh fruits, fresh vegetables. If possible use milk that has not been pasteurized or boiled. The ordinary bacteria in milk do no harm. Have your milk pro-

CURING CATARRH,

duced in a cleanly manner, and when you take milk, have your share of live bacteria. If you want your germs dead, heat the milk, but please remember that heated milk is inferior to the uncooked milk from the health standpoint. The only excuse for pasteurizing or boiling the milk supplied to the public is that the milk is dirty. Heating does not remove the dirt. Children who are given an exclusive diet of cooked milk do not thrive.

6.—Eat moderately of cream, milk and cheese. These are good foods, but those who suffer from catarrh generally find that a large intake of them will aggravate the trouble. Adult sufferers from catarrh, living on a mixed diet, should not take milk or cheese more than once a day. If the

COUGHS AND COLDS

color of the eyeball is bad, they should avoid cream until the eyes clear up.

7.—Eat some raw fruit or some raw vegetables every day. The reason for this is that the raw fruits and the raw vegetables supply the salts of iron, calcium, potash, soda, chlorine, sulphur, phosphorus and other necessary elements in the form that the body needs them. Raw fruits and raw vegetables are cleansing and they help to keep the body in an alkaline condition, which is necessary for the sake of the health. They help to keep the foods from going into abnormal fermentation, and in this way aid in keeping the system sweet.

8.—Eat of flesh foods but once a day, and the flesh foods are all kinds of meats and fish. It used to be believed that a human being needs much

CURING CATARRH,

meat to build strength. We now know that much meat eating builds weakness and breeds disease. It used to be believed that manual laborers should have meat three times a day. We now know that a manual laborer needs no more meat than an office worker, but the laborer needs more fats and starches and sugars. Protein is necessary for physical existence, but an excessive amount of protein causes quicker degeneration than any other food. For a list of proteins see food classification in the back of this book.

9.—Make it a general rule to combine simply. The average dinner in our land is an insult to the stomach. It contains bread, butter, meat, flour gravy, potatoes, one or two vegetables cooked with thickened gravy, some kind of salad, and a dessert, and this

COUGHS AND COLDS

is topped off with coffee. No one needs such great variety of food, and I have mentioned only a so-called simple dinner. Nowhere in Nature can we find an excuse for such mixing, unless we take a tip from the hog. But don't blame the hog, for man has spoiled him. In a natural state the hog leads the simple life and is a cleanly brute.

A good dinner can be made of four or five articles of food. Most meals should be limited to four or less kinds of food. Those who are satisfied to eat one or two or three kinds of food at a meal do well by themselves. Eating a great variety at each meal leads to overeating, and overeating causes physical degeneration.

10.—Be regular about eating. Many live on two meals a day, and do nicely

CURING CATARRH,

on the two-meal a day plan. No adult should eat more than three times a day. Lunching is a bad habit. Most individuals eat too much at the three meals, and to take lunches between meals is adding insult to injury. Eat three meals a day, if that is your eating plan, and between meals take nothing but water. This is a positive rule that must be observed.

11.—It is best to take the heaviest meal after the hard work of the day is over. Hard labor and digestion can not take place in the body at the same time. Thinking is labor as well as physical activity. One should never eat when greatly upset mentally.

12.—Those who are in great hurry to rid the system of catarrh can usually accomplish it by going on a fast. Sometimes a long fast fails to accom-

COUGHS AND COLDS

plish the desired results because the body is too impregnated with the catarrhal poisons to clear up in three or four weeks of fasting. Fasts are not necessary in this condition, but they are a short cut. They almost invariably succeed in individuals below the age of thirty. For further information in regard to foods see "Cooking Hints" in the back of the book.

The route that most persons ought to choose is the road of hygiene and correct feeding. I shall give menus for the guidance of those who like to have some coaching in selecting meals. I do not say that these are the only kinds of meals that will bring good results. I say that any kind of simple, moderate eating will bring good results, if the selection, preparation and combination of food are reasona-

CURING CATARRH,

bly good. In making menus I aim to use the foods that most people can obtain without difficulty.

The succulent vegetables should have an important place in the menus of sufferers from catarrh. These foods may be eaten freely.

The menus below are for the average individual who works in moderation. The manual laborer will need more starchy food, which he can obtain by omitting some of the fruit meals and taking whole wheat products or other starches instead.

In making up menus I mention everything that should be eaten. Do not add bread and potatoes to any meals when bread and potatoes are not mentioned. You can dress the foods according to directions given in chap-

COUGHS AND COLDS

ters 8, 9 and 10 of "Eating for Health and Efficiency."

Breakfast

Baked apples or raw apples.

Raisins, raw, steamed or stewed.

Glass of milk.

Lunch

Shredded wheat biscuit, triscuit, or whole wheat toast with butter.

Dish of green peas or string beans.

Summer squash or beets.

Celery or sliced cucumbers, if convenient.

Dinner

Fresh fish or fresh eggs.

Cooked cabbage or Brussels sprouts.

Baked potatoes.

Cabbage slaw or a plate of lettuce.

CURING CATARRH,

Breakfast

Oatmeal well cooked and well masticated, with either butter or a glass of milk. (No sugar.)

Figs or dates.

Lunch

Baked Hubbard squash or baked potatoes with butter.

Kale or spinach.

Asparagus or celery root.

Lettuce.

Dinner

Roast beef or mutton chops.

Carrots or turnips.

Parsnips or beets.

A dish of berries or some kind of raw fruit.

COUGHS AND COLDS

Breakfast

Berries or other fresh fruit.

Bananas.

Raisins or figs.

Lunch

Dish of custard.

Whole wheat biscuits or whole wheat muffins with butter.

Cooked chard or cabbage.

Dinner

Nut meats or fresh meat.

Fresh green peas or young lima beans (not the ripe ones).

Spinach or beet greens.

Green vegetable salad.

Piece of apple pie.

CURING CATARRH,

Breakfast

Corn bread, butter, with or without honey.

Strip or two of crisp bacon.

Glass of milk or buttermilk.

Lunch

Vegetable soup.

Graham crackers or whole wheat bread with butter.

Rutabagas or kohl-rabi.

Ripe olives.

Dinner

Fresh fish or fresh eggs.

Baked potato or potato boiled in the jacket.

String beans or beets.

A salad of lettuce or endive with celery or cucumbers.

COUGHS AND COLDS

Breakfast

Pears or other fresh fruits.

Ripe raw bananas, or baked bananas.

Cottage cheese or other mild cheese.

Lunch

Shredded wheat biscuits or stale rye bread with butter.

Okra or egg plant.

Corn on the cob or string beans.

Dinner

Macaroni and cheese.

Dandelion greens or other boiled greens.

Cabbage or cauliflower.

Green vegetable salad.

CURING CATARRH,

Breakfast

Baked apples or apples cooked with figs or dates.

Raisins and nuts.

Dish of berries or one raw fruit.

Lunch

Baked beans or rice and cheese (made like macaroni and cheese).

Kale or spinach.

Salad of lettuce and celery, or of lettuce and cucumbers.

Dinner

Vegetable soup or clear meat broth.

Roast mutton or baked veal.

Corn on the cob or cooked onions.

Beet tops or other greens.

Dish of ice cream with or without fresh fruits or berries.

COUGHS AND COLDS

Let us make a few comments on these menus.

Many will tell you that it is a dietetic crime to use fruits and vegetables in the same meal. The theory may be fine, but it does not work out in practice. What do you and I care about theory so long as the practice is all right? We are practical persons, and are out for results. So if you like to combine fruits and vegetables you may do so. Try a fruit and vegetable salad like this: Lettuce, celery, mild apples and nuts. If you masticate it well you will like it, and it will like you.

When butter is mentioned in these menus, you may substitute peanut butter, nut butter, oleomargarine, olive oil or other clean fatty substance.

Most people are astonished when

CURING CATARRH,

they see a breakfast planned without some kind of breadstuff or other cereal. The sweet fruits, especially figs, dates and raisins, are more nourishing than the same weight of bread. So the nourishment is there even if no breadstuff is used.

Vegetarians can eat nut meats or eggs instead of fish or meat, when these foods are mentioned in the menus.

You will note that I have listed two kinds of cooked succulent vegetables for most lunches and dinners. It is not necessary to use more than one. You can select one kind of succulent vegetable and eat all you wish of it, and it will serve fully as well as two varieties. Sometimes you may use three kinds, if you so desire.

If constipated, eat freely of the dif-

COUGHS AND COLDS

ferent kinds of boiled greens, such as spinach, beet tops, turnip tops, kale, chard and dandelion.

The dry or ripe beans are very heavy, nourishing foods. When they are eaten they should be taken in simple combinations. They should also be very well masticated.

It is not necessary to eat potatoes and bread with meat meals. Potatoes may occasionally form a part of the meat meal, but it is best not to take breadstuffs and meat in the same meal. Too much bread will cause excessive acidity of the body.

Macaroni and cheese or spaghetti and cheese or rice and cheese will take the place of meat; so will the cooked ripe beans or peas or lentils.

Desserts are not compulsory. Those who are subject to catarrh will

CURING CATARRH,

do best if they do not eat desserts. However, they will recover even if they eat plain desserts in moderation, but desserts should not be taken daily.

To summarize the subject of the cure of chronic catarrh:

It consists in living so that the whole body becomes clean and sweet. It consists in living right. Looked upon broadly, all disease is one, and fundamentally there is but one proper treatment of disease, which is to correct the mistakes the individual is making, substituting right habits for the wrong ones. The cure consists in building a strong, healthy body. The wrong thing to do is to use remnants of magic, such as serums and drugs. The most important points in permanently ridding the body of catarrh are:

1.—Keep the bowels clean.

COUGHS AND COLDS

2.—Keep the circulation and the muscles toned up with exercise.

3.—Have pure air day and night.

4.—Keep the skin normal by giving it a dry rub every day, and taking the baths, both internal and external, necessary for keeping clean.

5.—For liquid rely chiefly on water, avoiding drugged drinks, such as tea, coffee and alcohol.

6.—Eat properly, according to outlines just given. Correct eating is by far the most important part. Often it is all that is necessary in order to bring about a cure.

Coughs

There are various kinds of coughs and different causes give rise to them.

The nervous cough explains itself. It is a habit, and largely the result of

CURING CATARRH,

suggestion. Those who suffer from nervous cough will cough when they hear others do so or when they think about coughing or hear others talk about it. Mental training will overcome it.

There is the heart cough, due to accumulation of blood in the lungs when the heart does not properly perform its pumping function. This will spontaneously recover if the heart regains its working power.

There is the cough called stomach cough. This occurs when the stomach or bowels are full of gas or when there is a great deal of acidity of the system. Some deny that there is such an "animile" as stomach cough, but coughing does at times result from an upset digestive tract. If there is much gas produced in the digestive tract,

COUGHS AND COLDS

that can cause pressure on the lungs and coughing; on the other hand the acids when produced in excessive quantities get into the blood and directly irritate the lungs.

Most of the coughs are produced by direct irritation of the respiratory tract. The breathing apparatus tries to keep itself clean, and it resents the presence of any substance that tries to lodge within its passages. A small amount of mucus, just enough to oil up the apparatus, is normal. But when a great amount of mucus gathers, it becomes a foreign body, an irritant, and then an effort is made to expel it. This is the reason for coughing in bronchitis, pulmonary tuberculosis, or other forms of inflammation of the respiratory tract.

The cough is not a disease, merely

CURING CATARRH,

a symptom. It is foolish to treat the cough. We should not try to suppress it, but we should attempt to remove the causes that produce it.

Diseases of the respiratory tract, which produce the cough, are to be cured and the cough can be left to take care of itself. Colds and catarrhs cause much coughing, and we have dealt with those subjects already.

The thing to remember about coughs is, that they are symptoms of physical or nervous derangements; that it is useless to treat the coughs, and that the proper thing to do is to remove the causes of the coughs, and then the coughs will take care of themselves.

Reading this book will do no special good unless you put the teachings into practice. If you do as did the young

COUGHS AND COLDS

man who just dropped in to see me you will get no results. I told him to masticate his food well and not drink anything while he was eating; that is, I instructed him not to wash his food down with liquids. "I have followed your instructions to the letter," he told me. "You have not been drinking during meal times?" I inquired. "Well," replied he, "I take a bite of food and a swallow of water and then another bite of food and another swallow of water, but you know a fellow can't eat his food dry."

And he had followed my directions!

If you desire the good results that are possible, you have to read intelligently and carefully, and then follow instructions to the letter. It is true that the knowledge is simple and easy

CURING CATARRH,

to understand, but it is not like reading a popular novel.

The average case of catarrh is curable, and it is folly to retain a disease which is rather easily conquered.

Acute Catarrhal Tonsillitis

Perhaps this heading is not strictly correct, for we shall deal with follicular tonsillitis and with what is medically known as parenchymatous tonsillitis too, the latter being popularly known as quinsy (tonsillar abscess). However, these tonsillar forms of inflammation are very much the same thing, differing mostly in degree of severity.

In all forms of tonsillitis the tonsils are inflamed and more or less swollen. Depending on the severity of the trouble, the surrounding tissues are

COUGHS AND COLDS

more or less affected. Usually the mucous membrane of the surrounding structures is red and swollen. In plain catarrhal tonsillitis the inflammation is mostly near the surface; in quinsy the entire tonsillar structure is usually involved, with pus formation. In follicular tonsillitis the characteristic formation is cheesy matter in the crypts or follicles of the tonsils. This cheesy matter can be pressed out. It is not pus, as so many think; it is merely a cheesy formation due to the fact that the follicles of the tonsils do not cleanse themselves but allow old cells and mucus to gather and to start to degenerate. And it is not an indication that an operation is needed.

What causes tonsillitis? Read the causation of catarrh in this book and you have the etiology of tonsillitis.

CURING CATARRH,

True, excess of heat or cold can start the inflammation; tobacco smoke; bad air; too many irritating fumes in the air; extension of a nasal cold; fevers. These can be exciting causes. But the fundamental cause is impoverished blood in which there is an excess of acids and other wastes.

The symptoms are rather well known. Discomfort in the throat, sometimes amounting to severe pain, is common. Difficulty in swallowing is an ordinary symptom, and sometimes this is extreme. The fever varies from almost none to very high. Sometimes the tonsils swell until difficult breathing ensues. Cough is sometimes present. In some forms of tonsillitis the prostration is pronounced.

It is easy enough to treat most cases of acute tonsillitis, for the trouble has

COUGHS AND COLDS

a habit of vanishing in a few days if reasonable care is given. But it takes real knowledge and skill to educate people to the point of preventing tonsillitis, and this is much more important than treating an acute attack. There is a great tendency for this affliction to return because the throat and adjacent structures are exposed to many abuses, and the tissues are sometimes very sensitive.

In severe cases the patient should remain in bed. If there is much fever, the fast should be absolute until the fever vanishes. In these cases the sufferer should go to bed and live on water, keeping the feet warm.

In all cases see that the bowels are kept clean, either through the use of laxatives or enemas.

In severe cases with extensive in-

CURING CATARRH,

flammation use cold applications on the throat—wet packs. Cold water or ice packs may be applied to the neck; or the patient may be given very cold water to sip or ice to suck.

Alkaline sprays are all right; a spray of common baking soda or table salt dissolved in water is good for clearing the throat. Painting or spraying the inflamed surfaces with solution of silver nitrate often helps to shorten the period of inflammation, but this should not be attempted unless the individual knows what he is doing.

It is best not to eat at all during the acute attacks. Those with mild attacks will recover in reasonable time even if they eat some fresh juicy fruit or take fresh fruit juice mixed with water—no sugar. But those who have

COUGHS AND COLDS

severe attacks should eat absolutely nothing.

Of course, some echo will now come along and say, "The patient must eat to keep up his strength." That is wrong. Food does not increase strength during fevers; in these circumstances food makes the fever worse, increases the prostration and lengthens the duration of the illness. Milk, broth, custard—in fact, all foods are bad in severe fevers and in inflammatory conditions.

The proper treatment then is to keep the patient quiet and warm; to have plenty of fresh air, but it should not be cold enough to be irritating; to give all the water desired, and if the inflammation is extreme to allow the patient to suck ice or give iced drinks to be sipped slowly; to keep the bowels

CURING CATARRH,

clean, and tepid enemas containing a little pure soap or a tablespoonful of common baking soda to the quart of water are good for this purpose; to give absolutely no food until the fever vanishes, and please remember that this means no food, either liquid or solid. Yes, madam, and yes, sir, eggs and milk and custard and broths are foods and they are not to be given during the feverish and painful stage of a bad case of tonsillitis, unless you wish the trouble to continue long and to be unduly severe.

In case of high fever, a good hot bath is indicated to reduce the fever. Sounds peculiar and even unreasonable, does it not? But it is sensible and it works. Let me explain: In bad cases of tonsillitis the patient is on tension and nervous, full of pain, and

COUGHS AND COLDS

troubled with blood engorgement (congestion) in the region of the throat. A hot bath equalizes the circulation, thus helping to relieve the engorgement of blood in the throat; a hot bath relieves tension through relaxing the body; a hot bath opens the pores and that helps to rid the system of poison, and this, in addition to lowered nervous tension, aids in reducing the fever.

For those who have bathing facilities here is a good way to give the hot bath: Open the bathroom window enough so that the ventilation is good; get into the bath, having the water as warm as the body will tolerate and keep it warm by adding hot water from time to time; keep a cloth dipped in cold water on the forehead; remain in the bath until thoroughly relaxed,

CURING CATARRH,

which may require twenty or forty or sixty minutes; after getting out of the tub wrap up well in robes and blankets so that perspiration can continue, and keep out of draughts for the next few hours; when perspiration stops dress in dry garments, but it is best before so doing to sponge off the body with tepid water and wipe dry.

Those who have no bathing facilities—indeed there are such persons—can take a sweat bath in bed by using jugs of hot water, or hot bricks or hot stones wrapped in cloth, or hotwater bags, and packing around the body, being very careful not to burn the patient. These means of producing sweat should be kept at a little distance from the body so as not to burn the skin.

When the acute attack is over, live right in general, keep the body clean

COUGHS AND COLDS

within and the skin active without, and be sure to eat right, and stop the tonsillitis business.

Let me show how it works: About six years ago a woman came under my supervision with this history: She had had tonsillitis rather regularly since childhood. During the ten previous years she had many minor attacks and on the average four attacks each winter when she was forced to go to bed with high fever and prostration due to quinsy sore throat, as she called it. The engorgement and swelling were extreme and the formation of pus was rather copious.

Discussion and examination elicited these facts: All her previous physicians had told her that recovery without operation was impossible, that is, the attacks would recur unless she had

CURING CATARRH,

the tonsils removed. She was very much afraid of the knife, probably because she knew of several instances where the patients had lost their life through hemorrhage immediately following the operation. She was wealthy, lazy, self-indulgent and very fond of rich foods. She weighed about forty pounds too much. She was decidedly hyperacid.

She was directed during the attacks she was having, along the lines just given. When she recovered from the acute attack she was placed on a diet of absolutely nothing but juicy fruits to which no sugar was added, and cooked and raw succulent vegetables, and kept on this diet for two weeks. This started the cleansing process within the body and the weight reduction.

COUGHS AND COLDS

Then the diet was gradually increased, toast being allowed once a day, one or two slices lightly buttered; and she was allowed to take either a dish of cottage cheese or a glass of milk once a day. Meat and fish and all kinds of desserts were prohibited for a month.

Then she was placed on a diet such as you will find outlined under chronic catarrh, except that she was required to eat very moderately of fatty and starchy foods, so that she would continue to lose weight.

At the end of three months she was thirty pounds lighter than in the beginning, the hyperacidity was largely overcome, and her throat felt better than it had for years, she said. I saw this lady occasionally during the next three years. In that time she had no

CURING CATARRH,

attacks of tonsillitis and she was not troubled with the colds which had annoyed her so in the past.

Remove the cause, which is sometimes local irritation, but most of the time impoverished blood due to wrong living, and the acute tonsillitis quits coming.

Very, very seldom is the condition so bad that instrumental or surgical aid is necessary. Of course, operation is the quickest way to remove an annoying symptom.

But does that satisfy you?

Chronic Tonsillitis

The chief sign of this trouble is enlarged tonsils, which are often so irritated that an excess of mucus appears on the surface. Frequently it is easy to press out of the crypts cheesy ma-

COUGHS AND COLDS

terial, but this is not pus. Sometimes the tonsils in this condition impinge on the Eustachian tube, causing more or less deafness. Bad breath and sore throat are rather common.

The cause is the same as that of acute tonsillitis; in fact the chronic form is often the result of repeated attacks of the acute affliction.

The question is whether to operate or not to operate. If you operate you remove the chief manifesting symptoms—the large tonsils—but the real disease remains in the body to cause trouble in some other way.

Those who see this matter in a true light realize that chronically abnormal tonsils are a signpost indicating a bad general condition of the body, and this is what they do:

They begin to breathe more and eat

CURING CATARRH,

less; they begin to exercise more; they drink a fair amount of pure water; they cleanse the bowels regularly; they keep the skin active through baths and dry rubs.

They take care of themselves as outlined for sufferers of chronic catarrh.

How about local treatment? Gargles of salt in water, or bicarbonate of soda in water, or lemon juice in water are good. Those who care to have astringents applied locally can do so with the knowledge that at times this helps to shrink the enlarged tonsils. I have seen very large tonsils greatly reduced in a few months by pricking them so they would bleed.

The mortality following removal of the tonsils is small, but it is large enough to remind us that the danger is there.

COUGHS AND COLDS

Acute Catarrhal Laryngitis

This is the same as acute catarrh elsewhere, the only difference being the location in the region of the vocal cords.

Here catarrh is often caused by inordinate smoking, use of too much alcohol, and an excessive use of the voice. Otherwise the causation is similar to that of other acute catarrh. Frequently the catarrhal condition starts in the nose and extends to the larynx.

The chief symptoms are tickling in the throat, huskiness of voice grading into hoarseness. In severe cases it is difficult to breathe and painful to swallow.

The treatment is simple, and if used

CURING CATARRH,

in the early stages it is quickly effective.

If the individual is very young or very old or weak, he should be put to bed and kept in a room where the air is fresh but the temperature even. So as to keep cold air from irritating the larynx it is best to maintain the temperature of the room as high as sixty degrees F.

Keep the feet warm. Give a laxative to cleanse the intestinal tract.

The best food until the acute attack passes is no food at all; give all the water the patient wishes. The more you feed the longer the trouble will last. Next best to no food is giving the juice of fresh fruit mixed with water, and no sugar is to be added. Or succulent vegetables may be given until the attack passes.

COUGHS AND COLDS

In bad cases, a fine means of soothing the inflamed membranes is to use steam inhalation. An apparatus may be improvised by attaching a rubber hose to the spout of a kettle full of hot water, which however must not be over the fire, for it is necessary to be careful not to burn the throat with too hot vapor.

An excellent aid in overcoming the congestion and inflammation of the larynx is to use a wet pack, either warm or cold. For the benefit of those who do not know how to make the wet pack: Take a strip of cloth, fold it several times; dip it in water and wring out so that it is very wet but not dripping; place this wet cloth as high up on the neck as you can; then take either dry flannel or dry woolen material of other kind and completely

CURING CATARRH,

cover the wet cloth. Pin in place and leave on for forty minutes to an hour. Repeat as often as necessary.

A gargle of tepid water containing a little table salt is cleansing and in cases of this kind may be used three or four times a day.

Robust individuals need not go to bed, but should miss a few meals, avoid extreme temperatures, and see that the bowels are kept thoroughly clean.

During an acute attack, use the voice as little as possible.

Read the chapter on Acute Catarrh.

Chronic Catarrhal Laryngitis

This is, of course, a chronic inflammation of the vocal apparatus. The cause is the same as chronic catarrh, with the exception that tobacco and overuse of the voice play a prominent

COUGHS AND COLDS

part here. Sometimes chronic laryngitis is due to repeated attacks of the acute form; sometimes it is due to irritation from bad air; very often it is caused by subnormal condition of the entire body.

Hoarseness, cough, tickling in the throat and discomfort when the voice is much used are the chief manifestations. This affliction is a tragedy to actors, clergymen, singers and other persons in public life.

Gargles and sprays and local treatments and wet packs may afford relief, but they are not curative.

To bring about a cure: Eat right, drink right, think right, breathe right, exercise and keep the body clean. As this is a form of chronic catarrh, see the recommendations under that heading.

CURING CATARRH,

To illustrate: A singer had been losing his voice gradually for about four years. At the age of forty he was unable to practice his art. He had lost his high notes and singing was painful. He had also acquired thirty superfluous pounds of weight.

For three weeks he was placed on a diet of nothing but juicy fruits and succulent vegetables; then he was placed on a diet such as you will find outlined in the pages dealing with chronic catarrh, except that he did not have so much starchy food, such as bread, toast and potatoes.

He was also instructed to exercise and to take other health-building measures.

Results: In six weeks he was able to make short public appearances; in three months he had good command

COUGHS AND COLDS

of his voice and he carried the right weight.

Then he was instructed how to live so as to remain well. He ceased having periodic colds and consequently has had no trouble in carrying on his artistic profession.

Read the chapter on Chronic Catarrh.

Adenoids

This is a trouble that is called to our attention mostly in connection with children. It is also known as pharyngeal tonsillitis. In the beginning it is an overgrowth of the soft, glandlike tissue in the roof of the pharynx. This morbid growth may be great enough to obstruct nasal breathing.

It is easy enough to find this con-

CURING CATARRH,

dition when it is present. The eye tells a great deal and the finger or instrument will find the soft mass of tissue in the pharynx.

In children glandular tissue and glandlike tissue easily enlarge through any form of irritation. It is very common to find children with enlarged glands in neck and throat. In fact, they have at the base of the neck a gland, the thymus, which vanishes in childhood.

Children who have adenoids in severe form can be diagnosed at sight. They have an appearance of stupidity to all but those who love them dearly—the thickened nose, the thick lips, open mouth and dull look give a characteristic appearance. These children are not necessarily dull, but they are handicapped because they do not get

COUGHS AND COLDS

enough air into the lungs. The adenoid tissue retards breathing, and sometimes the nasal breathing is practically wanting.

Then the children have to resort to mouth breathing, which is the most characteristic sign of the trouble. As a result of this form of breathing the mouth and throat are often dry, and so are the trachea and bronchi. This condition gives rise to coughs and colds, even to bronchitis.

If the condition is extreme the roof of the mouth becomes deformed, which throws the teeth out of line through traction on the upper jaw; and in very bad cases the chest may become deformed.

These children find it difficult to keep their minds centered and hence make slow progress at school.

CURING CATARRH,

The hearing is often affected, due to the pressure of the swollen tissue on the Eustachian tubes.

What causes this trouble? It is almost entirely due to wrong feeding habits. This cause is so predominating and preponderant that other causes are best left unstressed.

It is an almost universal habit to feed children too often and too much. Even in infancy a child would do best if fed not to exceed four times a day, and five feedings ought to be the limit. But what do people do to their defenseless babies? A dozen nursings or feedings a day are not out of the ordinary. As a result children develop trouble with the digestive organs, and that trouble is reflected in the other parts of the body. As the glandular structures, especially early

COUGHS AND COLDS

in life, are quite unstable, they frequently are the localities where the results of the digestive troubles manifest. Here is the sequence: Too frequent and improper feeding, resulting in indigestion, which causes an excess of gas and acid in the digestive system, part of which gas and acid is absorbed by the blood, where it acts as an irritant to various organs.

Some babies show signs of catarrh a few days after birth, due to the mother's unhygienic mode of living; and then the wrong feeding and over-feeding begin, aggravating the catarrhal condition.

Adenoids can with the utmost propriety be placed among the catarrhal diseases.

When the child grows older the general rule is to feed sloppy, mushy

CURING CATARRH,

foods. Even the so-called baby specialists recommend soft, cooked cereals, which are one of the most prolific causes of adenoids, catarrh, croup, scarlet fever and diphtheria. Please remember that children can't have these diseases so long as they have good blood, and correct feeding keeps the blood pure.

Don't feed the children sloppy foods; don't feed them cooked cereals, for they swallow such foods whole. True, such foods may not need mastication, but they are starchy and need thorough insalivation in order to be digested properly. How many children insalivate such foods? If sugar is added, the trouble is even worse. Which brings up another point: Don't give children sugar on any kind of grain food. White sugar is a curse

COUGHS AND COLDS

to childhood. Here you have your lovely baby, and then you give it some nicely cooked oatmeal with sugar and rich milk. What is the result? The oatmeal (or other cooked cereal) slips down without being mixed with saliva; it ferments in the digestive apparatus, producing abnormal gases and acids, which are absorbed by the blood; the blood scatters these poisonous products all over the body, and the most sensitive parts of the baby's anatomy are irritated.

Candies, cakes, puddings, pies, other pastries, fried foods, gravies, pickles, jellies and preserves, and white flour products are a partial list of the poor foods which children devour with injurious results to their health. In many the resulting ill is known as adenoids. Meat is another

CURING CATARRH,

food that young children should not have. Eggs should be taken sparingly. A child aged four should not eat more than three or four of them each week. Young children can get all the albumin they need from milk—eggs and meat are not necessary foods for them.

Please remember this: A child from the health standpoint is, as Herbert Spencer said, a young animal. From the physical side the paramount consideration is to feed the young animal correctly. Right feeding builds health; wrong feeding causes disease.

It is proper here to give this information: A child after it stops its exclusively milk-fed career will thrive splendidly for the first five or six years if given only clean milk, whole wheat bread, fresh fruits and fresh vege-

COUGHS AND COLDS

tables. In fact, that is the right way to feed young children. Of course, potatoes, or rice, or other good starchy foods may be substituted for whole wheat bread.

Refined sugar is a disease-builder. Give the children figs, dates, prunes, raisins, thoroughly ripe bananas and other naturally sweet fruits and there is no need of white sugar. Honey is also a good sweet, in moderation.

The approved method of treating adenoids is to remove them. But adenoids are only a symptom of general physical derangement. Would you be satisfied to remove the symptom and allow the causes and evil conditions to continue manifesting? If you are, the child will develop some other physical ill or weakness. True, after an operation for adenoids a child often

CURING CATARRH,

grows much brighter and advances physically and mentally. Removing the breathing handicap is a great help, for a sufficient amount of oxygen is one of the fundamentals of health.

If you want to do the best by the child, and you decide to remove the enlarged adenoid tissue, be sure that you do not stop there. Find out where you have been at fault and correct those faults. In this way you will be able to raise a healthy child.

It is a great mistake to rely too much on surgery, for in dealing with nose and throat conditions, in almost all cases removing tissue is merely cutting out a symptom or sign of internal trouble. Get rid of the underlying condition or conditions that cause these troubles.

I know that the neighbors will feed

COUGHS AND COLDS

your children; I know that they will get candies and other junk at school; and I know that children have so much imagination that they are untruthful; but in spite of this, if you will exercise reasonable care it is possible to raise children without serious illness.

To show you what can be done in cases of this kind we shall give here one experience which is typical of many. From this you can learn what to do for your own child with adenoids.

Jane was seven years old. She was physically and intellectually an average child. The school nurse one day sent a note to the parents that the young lady had adenoids which ought to be removed. The parents for some reason had a horror of this kind of bloodshed, and brought the child to me.

CURING CATARRH,

The girl had the typical adenoid face in mild degree—too open mouth, too thick lips, too puffy looking nose, and she partially breathed through the mouth. It was just an average case. The tonsils were too large, the mucous membrane of the throat too engorged, and the adenoid tissue was too swollen.

We sat down and analyzed the case:

1.—The young lady was somewhat constipated. She stayed in bed until it was time to make a rush preparation for school, which involved nervous irritation on the part of the mother and a display far from amiable on the part of the young lady. She swallowed her breakfast in a hurry, and she did not have time to go to the toilet in proper fashion. The first instruction was: Breakfast or no breakfast, the young

COUGHS AND COLDS

lady is to have a movement of the bowels before she goes to school; she is to educate them to work; she is to make this a part of her morning routine. The second direction was: She is to eat breakfast and all other meals slowly. If she has not time to eat slowly she will miss her meals.

2.—This brought us back to the fact that Jane was staying up late at night, and consequently could not get up early in the morning. The remedy was simple: Early to bed.

3.—This brought up still another item. Jane easily took cold and she was restless at night, so it was necessary to have her sleep with the windows closed. Remedy: Open the windows, and tuck and pin the bedding so that the young lady would remain covered. (In cases of very

CURING CATARRH,

young children it is often well to have them sleep in a bag, so that they can't kick off the covering and become too cold.)

4.—The mother had casually told her daughter that she should not eat away from home. Jane denied that she ate candy at school, and cakes and doughnuts at Mrs. Brown's. But a little discussion with me brought out the fact that this was a daily occurrence. In fact, the chief attraction at Mrs. Brown's was the food. Mother was horrified to find that her daughter was a liar and threatened dire punishment. I suggested that "Turn backward, turn backward, O Time in your flight, and make me a child again just for to-night," would be good for the mother. Then, let her spend a little less time at bridge and dinner dances,

COUGHS AND COLDS

and accept more responsibility for the daughter. Remedy: Mrs. Brown was asked, as a personal favor, not to feed the child, and she agreed. Little Jane promised to try hard not to eat candy at school. She was given raisins or dates or figs in each lunch to satisfy her craving for sweets.

5.—The girl came to the office for the first time on a cold day. Her legs were bare and blue and her feet were cold. Remedy: We arranged for more comfort and less style. Stockings to cover knees, made of cotton—not silk—during the cold weather.

6.—The girl was very much inclined to remain in her room and play with books and dolls. So we arranged to have her properly dressed for the weather so that she could play out of doors.

CURING CATARRH,

7.—The girl was fed the same as the adults—bread, meat, potatoes, brown gravies, pastries and the general run of refined foods found in prosperous homes. We changed the schedule to the following:

Breakfast

Fruit, glass of milk and whole wheat biscuit.

Lunch

Whole wheat bread, butter, sweet milk, and some sweet fruit.

Dinner

Either baked potatoes or rice, with one or two liberal helpings of cooked succulent vegetables, and a raw salad vegetable. With this she could have either a dish of plain custard, or a dish of cottage cheese, or a glass of milk.

COUGHS AND COLDS

She objected to the vegetables, for she had never eaten many of them. So the vegetables were served first, and the rule was that if she was not hungry enough to eat them she was not hungry enough for anything else. In a short time she liked the vegetables as well as any other food.

We discarded meat for the time being.

What were the results? In a few months the tonsils and throat looked so normal that the school nurse stopped bothering the parents with notices. The adenoid tissues gradually decreased in size. Jane's face had a keener, brighter appearance, and she did much better work at school. In a few months she became a nose breather.

CURING CATARRH,

There are cases so bad that it is best to remove the adenoids, but please remember that removing the warning signal is not removing the danger. If the adenoids are removed, also correct the faulty mode of living. In most cases surgical interference is uncalled for.

Without doubt it is trouble to raise children, but most normal people find them more than worth it. Jane's mother realized that the fault was largely her own. She began to spend less time in frivolous social fluttering, and gave more time to responsible supervision of her children. She became interested in the subject of healthful living for the entire family, and the results were happy for all concerned.

COUGHS AND COLDS

Acute Bronchitis

There are various forms of bronchitis, but no useful purpose will be served by discussing more than two kinds here, ordinary acute bronchitis and the common chronic bronchitis. As the name indicates, this trouble is an inflammation of the bronchial tubes. Often some of the lung structure surrounding the bronchial tubes is involved.

Acute bronchitis is what is often known as "a cold on the chest." Usually the catarrhal process starts in nose, throat and larynx and extends through the trachea into the bronchial tubes. Occasionally the catarrhal process starts in the bronchi.

The cause of this trouble is the same as that of ordinary colds in the head

CURING CATARRH,

and has been discussed in the part of the book dealing with colds in general.

It is well to repeat that the chief cause of colds is living in such an unnatural manner that the physical tonicity is reduced. The body defences grow weaker as health is depleted. Finally the stage is reached where health is no longer possible. Then the body is ready to be affected by any adverse influence, and in many individuals the result is bronchial catarrh, or an acute cold. Sudden exposure to cold, undue chilling of the body, dampness and epidemic influences are generally given as causes of this condition. But these are merely incidental causes. A chief cause is an excessive intake of food and drink. That is the reason that more colds of all kinds are encountered after

COUGHS AND COLDS

Thanksgiving, Christmas and New Year than at any other time. These are the grand gorging seasons. People eat so much that they cannot throw off the waste in the ordinary way and the result is frequently catarrh, ranging from lungs to eyes.

For some reason the young and the old are more frequently afflicted with bronchial catarrh of the acute type than are those in the middle stretches of life.

The symptoms are so well known that they need only incidental mention. Bronchial catarrh generally comes quite suddenly. The fever is generally moderate, seldom going above 103 degrees F. The chest pains are seldom great. The cough and expectoration are annoying. With the

CURING CATARRH,

stethoscope we elicit rattling sounds in the chest.

The most important part is the treatment. The idea has long prevailed that the proper thing to do is to suppress the cough and the expectoration. A little straight thinking will soon indicate to those who are good reasoners that this is a mistake. Quinine and opiates are the popular remedies. The opiates suppress the secretions, which is injurious to the patient.

The correct treatment is to eliminate the poisons from the body as soon as possible. The four great eliminating organs are the skin, the kidneys, the lungs and the bowels. Please bear this in mind and note how logical the treatment outlined below proves to be:

1.—As soon as the chest cold mani-

COUGHS AND COLDS

fevers use a laxative, and it would be best to use an enema of tepid water to cleanse the lower bowel. In a bad cold this cleansing should be repeated the second and the third days of the illness.

2.—Drink all the water that thirst calls for, and if there is no thirst drink five or six glasses of water, hot or cold, anyway.

3.—Take a bath as warm as you can bear it, remaining in the hot water at least twenty minutes. Yes, do this even if there is a fever. Hot baths help to reduce such fevers. After the bath wrap up well in blankets or other warm clothes and remain wrapped up until the perspiration stops.

4.—In severe cases it is best to go to bed, being sure to keep the feet warm. Use artificial heat in the foot

CURING CATARRH,

of the bed, if necessary. Open the window enough to have free ventilation.

In cases of old people it is absolutely essential to keep the feet warm. And old people should be moved about a little from time to time, for if they are allowed to remain in the same position too long pneumonia (due to gravitational settling of liquid in the dependent parts of the lungs) is apt to ensue.

Please note the treatment outlined above: It cleanses by way of the skin, the lungs, the kidneys and the bowels.

Debilitated persons should be rubbed gently all over the body once or twice a day. Olive oil or other edible oil used on the skin is good. The rubbing should be done in a warm room. Avoid chilling the patient.

COUGHS AND COLDS

A warm jacket for the chest is soothing. It can be made of a large towel lined with cotton and snugly pinned on; or it can be a woolen or flannel covering; or it can be an earthy application, the best advertised variety being antiphlogistine.

5.—And now we come to a most important consideration, the feeding.

If it is a mild case with no perceptible fever, there is no need of complete fasting, nor going to bed, nor applying chest jackets. In mild cases, reduce the amount of food eaten by half. It would be a good idea to live on nothing but fresh fruits and fresh vegetables for a few days.

However, if the case is severe and considerable fever is present the patient should go on a complete fast, which means to take nothing except

CURING CATARRH,

water into the stomach. A little fresh lemon juice (no sugar) helps the cleansing process.

How long should the fast last? Until the fever vanishes. How long will that be? If the bowels are kept clean, a hot bath such as we described above is taken, and a complete fast is instituted in the very beginning of the attack, often the fever vanishes in a day. Usually the chest is clear within three days and the fever a thing of the past, when these instructions are intelligently observed. If the bronchitis is allowed to establish itself thoroughly, then no one can estimate how long it will take to vanquish the trouble.

Here is a point for you to decide: Would you rather get down to business and eradicate the acute bronchitis

COUGHS AND COLDS

in a few days? Or do you prefer to keep it to torture you for weeks or months?

Please note that fasting means to live on water and nothing else. Broths, milk, eggs, custards and substances of that kind are foods, and they help to keep up the fever and prolong the attack.

In severe cases, by all means go onto a complete fast until the fever vanishes.

If you enjoy acute bronchial catarrh and wish to keep it longer, then eat fresh fruits and fresh vegetables.

If you wish to keep it still longer enlarge the diet and live on fruits, vegetables, milk and toast with butter.

If you wish to continue coughing indefinitely, help yourself to fish and meat in addition to the other items.

CURING CATARRH,

The animal foods are the most harmful ones to partake of in these circumstances. If you wish to rid yourself of this annoying condition in reasonable time, at least avoid milk, cheese, eggs, fish and meat until the fever and cough have vanished.

When the acute bronchitis is conquered, eat very moderately for a few days, and be prudent in the general physical care.

“But you wouldn’t fast a baby!” many object.

Wouldn’t I?

Please let me tell you about an incident that occurred while I was preparing this manuscript. Some people who should have known better allowed a very mild case of bronchial catarrh to continue. For about three weeks they fed the baby as usual. At the

COUGHS AND COLDS

end of this time, the child suddenly became feverish running a temperature above 104 degrees F. Then the parents awoke.

We gave the baby a piping hot bath and wrapped her up; we gave her all the water she wanted but for two days she had no food. At the end of that time, the fever and rattling had vanished. Then the child was placed on about half rations. In two days the normal feeding was resumed. The child was one year of age.

If a child takes a cold, the feeding should always be reduced.

Many have the habit of catching cold. For six or seven months a year they have one cold after another. They are hardly over one until they take another. Frequently there is no period between their colds. The rea-

CURING CATARRH,

son for this is that these persons are at all times suffering from autointoxication. They have too much acid in their bodies.

Recently I saw a gentleman who is past sixty years of age. Up to one year ago he had the habit of catching frequent colds. Then he undertook a course of personal health education under my care. I taught him to eat and drink right, to breathe deeply, to care for his skin, to exercise in moderation and to keep his intestinal tract tonic and clean. I shall quote his own words: "I used to have a cold on the chest nearly all winter and had frequent head colds. This winter I have not had any chest trouble. I had one light cold in the throat, but it did not go any farther, and it vanished in a few days. That is the sum of my

COUGHS AND COLDS

catarrhal trouble during the past year.”

Incidentally, his one little cold came after the Christmas-New Year season, so you doubtless know the reason.

If you have the habit of catching cold—in nose, throat or chest—you can obtain the same results as this merchant did. The knowledge is here at your command.

Read what has been said under the headings of Acute Catarrh and Chronic Catarrh.

Chronic Bronchitis

Chronic bronchitis is rather common among individuals past fifty or sixty years of age. Sometimes it is due to repeated attacks of acute bronchial colds, which occur so often that

CURING CATARRH,

they become established as one of the physical habits.

Generally this condition is due to other forms of disease. The general bodily tonicity is lost, and the bronchial structures degenerate with the rest of the body. It is common for people with rheumatic diseases, kidney troubles, heart disease, obesity and other chronic ills to develop bronchitis. Excessive intake of alcohol and the use of tobacco are other causes. Sometimes the affliction is due to irritating substances inhaled with the air supply, such as irritating gases and excessive amounts of dust.

Old people are the ones who are worst afflicted. The trouble is most pronounced during severe cold spells. For these reasons it is often known as the winter cough of the aged. It does

COUGHS AND COLDS

not always wait until the sufferer is old to manifest. Some show decided symptoms of the trouble before they are forty years old.

In this condition the bronchial tubes are irritated and sometimes inflamed. Ulcers may appear, and if they are extensive a little blood will show in the expectoration. In the beginning the bronchial walls are usually thickened and contain an excess of fibrous tissue; later the bronchial walls may grow too thin, and lose a great part of their mucous lining.

Usually the pain and fever are absent, or else slight. The cough is the annoying symptom. Sometimes it is severe enough to cause great weakness. The chest sounds indicate a roughened condition within. Sometimes the sounds are very loud and rattling in

CURING CATARRH.

character. The expectoration varies from almost none to great quantities.

The course of the trouble is often very chronic, the patient living and suffering for years. The greatest danger is that it will lead to some other ill which will terminate life.

During my medical college days I was taught that recovery is not to be expected, and I have never seen a recovery in a serious case under the orthodox medical treatment. Change of air, a liberal diet and sedative drugs, often containing opium derivatives, are the chief constituents of the accepted treatment.

Change of climate may be good, but it is not the principal essential, for chronic bronchitis is caused chiefly by autointoxication, which is mostly based on wrongs of digestion and elimina-

COUGHS AND COLDS

tion. A too liberal diet is a mistake, for instead of keeping up the strength it bolsters up the bronchitis. If drugs are mild and help to eliminate poisons, they may be useful. But sedative drugs tend to keep the excretions within the body, and tonic drugs tend to irritate. On the whole the medication is injurious to the patient. Even in the eyes of those who advocate the use of drugs, no curative effects are reflected. So why use the drugs?

Those who are afflicted with bronchitis will be glad to read my personal experience with this ailment. When I began my health work many patrons suffering from chronic bronchitis would come to me because of other ills. "Of course, I know that you can't help the bronchitis," was a common comment. They had accepted the chronic

CURING CATARRH,

bronchial catarrh as a condition to be endured.

But the vast majority of them had a pleasant surprise in store. As they recovered from their rheumatism, or chronic indigestion, or headache, or hyperacidity, or high blood pressure, or whatever the ill happened to be, the bronchitis had a habit of disappearing. Sometimes all the evil symptoms disappeared in as short a time as a month. Sometimes it required several months. Sometimes it was a gradual evolution, requiring a year or two or three before the disease entirely vanished.

Occasionally there was improvement, but a continuation of the trouble in milder form. In a large experience with these conditions I have never seen any complete failures when the sufferer was enough in earnest to give the

COUGHS AND COLDS

matter a fair trial. If degeneration of the bronchial tissues goes to extremes, these structures can never return to normal. But even then there can at least be partial improvement.

Most cases can recover so fully that the annoying symptoms—the worst ones being cough and expectoration—will vanish.

Within the past four years I have had under my care two ladies who were both over seventy-eight years old, and both of them had previously suffered for years from chronic bronchitis. One of them had had the trouble for over forty years. Both of these ladies began to follow directions during the winter, with the result that their symptoms soon grew less annoying. The following winter they had no bronchitis, and the last I

CURING CATARRH,

heard there had been no recurrence. When we began I merely told them that it was at least worth while trying to become comfortable. This shows how results will come even in extreme cases. In both instances the families had been told that nothing could be done, first because the condition is incurable, and second because the patient was too old.

Let us take a typical case and see what generally happens when we assist nature: A gentleman a little past the age of sixty came under observation. For about ten years he had been troubled with chronic bronchitis. In the summertime it had been a little annoying. During the winter it had caused him great trouble. As he had made a comfortable fortune as a merchant, he was able to go to mild Texas

COUGHS AND COLDS

points, or Southern California or Florida for the winter. But he was unable to find complete comfort, and he hated being a fugitive.

This gentleman was suffering from general hyperacidity (acidosis), sluggish intestinal action, and overweight. In other words, he was a victim of autointoxication.

He did not exercise and he walked only when he was unable to call for the car.

He enjoyed rich, delicate foods. Prohibition had not entered his home. He enjoyed the so-called good things of life and he had ample means to gratify his tastes.

I explained to him that the real cause of his trouble was autointoxication; that his elimination was subnormal, and for this reason waste matter

CURING CATARRH,

was stored all through his body; that his eating was wrong, for it produced an excessive amount of waste, which the skin, lungs, kidneys and bowels were unable to throw off; that he was further poisoning himself with nice Cuban tobacco, genuine pre-prohibition booze, and three cups of coffee each day, sometimes aided by a little tea; that he was eating two or three times as much food as his body needed and that the excess of food was building trouble for him; that he was allowing indolence to ruin his circulation and deteriorate his muscles. He was in such an advanced stage of deterioration that to walk a block was frequently too great a task. His heart was sluggish, and he gave evidence of a touch of both diabetes and Bright's disease.

COUGHS AND COLDS

“Do you really want to recover?” he was asked.

“Of course I do,” he retorted, somewhat indignant at the form of the question, which to him seemed foolish. “I have everything to live for—a good home, a fine wife, thriving children and a nice lot of grandchildren. I enjoy life when I am comfortable.”

So we got busy, and this is what we did:

1.—Immediately we established the habit of giving the skin daily dry friction. As he was unable to exercise in the ordinary sense of the word, this served as exercise in the beginning. This helped the circulation, and also toned up the skin so that it began to do a better excreting job. In three months the skin glowed with vitality,

CURING CATARRH,

and the complexion turned from pasty gray to a healthy tan tinged with pink.

2.—We reduced the coffee drinking to one cup in the morning and no cups the rest of the day, and increased the water drinking. One cup of coffee contains some poison, but only one-third as much as will be found in three cups. We dispensed with the tea. Alcohol we tabooed entirely for two months and after that we confined it to one glass of wine on special holidays and birthdays.

3.—We instituted the habit of deep breathing several times a day to improve the lung function and furnish more oxygen to the blood. This is a purifying measure.

4.—As strength and endurance began to return we began systematic stretching and bending exercises. We

COUGHS AND COLDS

started with one minute of exercise morning and evening, and gradually increased until the exercise period was at least five minutes, twice a day. And the gentleman began to walk. In three months he could walk over a mile without tiring.

5.—He was taught to be regular, to help improve the intestinal functions. Deep breathing, exercise, right drinking and correct eating helped, and in a few months he was able to dispense with laxatives.

6.—As he was fat and slightly diabetic we took sugar away. We also reduced the bread eating, and omitted from the menus all fried foods, all greasy cooking, all pastries, jams, jellies, preserves and pickles.

As he had a touch of Bright's disease we reduced the meat eating. In-

CURING CATARRH,

stead of having meat three times a day, we had it served only for the dinner meal.

He had eaten vegetables very sparingly, so we taught him to eat freely of vegetables both for lunch and dinner. He had raw salad vegetables, and the cooked succulent vegetables at both meals (see back of book for list of these vegetables).

We did away with canned fruits and used the fresh fruits instead, allowing no sugar to be added.

We changed the eating routine so that he quit lunching between meals, and we instructed him to eat slowly.

What were the results? At the end of three months he could walk and work as much as he pleased. He showed no further signs of bronchitis. Even a most careful examination

COUGHS AND COLDS

showed no further trouble with the kidneys—the sugar and albumin had cleared up. He lost about twenty-five pounds of weight and gained much strength in those three months.

At the end of six months he was examined again, and the favorable results were confirmed. By this time he had lost about forty pounds of weight, being normal in this respect. He felt well, he looked well, and no signs of disease could be found in his chest. His heart worked regularly and firmly.

The following winter he had one slight nasal cold, but no bronchitis. He considered himself well, and he doubtless had better health than ninety per cent of those he met on the street.

Why tell these tales from life? Because if you are a victim of bronchitis

CURING CATARRH,

you can apply these helpful truths to yourself with the knowledge that your chances are excellent to vanquish the trouble. However, the good results which are set forth in these pages came to people who were determined to recover. They not only pretended to follow instructions. They actually did as they were told to do. They did not merely read the instructions and say: "This is old stuff. It won't work." They gave nature a chance to demonstrate what she can do.

To finish the tale: The correct care in chronic bronchitis is the same in a general way as that in chronic catarrh, so you are referred to the chronic catarrh portion of this book for further information and elucidation.

Those who have in addition to bronchitis such troubles as hardening of

COUGHS AND COLDS

the arteries, high blood pressure, rheumatism, heart trouble, kidney afflictions, engorged liver, constipation or various other ills, need special knowledge to overcome those afflictions. There is not enough room within these covers to go into detail about them.

Hay Fever

Hay fever is a peculiar disorder. Most people think of it as being due to the pollen of various weeds, grasses, grains, flowers and trees. Some are susceptible to one pollen, and some to another. This is really one part of the truth.

Here is another part of the truth: Many individuals live in such a way that they lose the general tonicity of their body. They become so full of acids and other waste materials that

CURING CATARRH.

they are easily afflicted when surrounded by the smallest of adverse influences. Among other parts of the body the mucous membranes grow unduly tender and sensitive.

Let us then put together the entire truth: Some of these hypersensitive persons with delicate mucous membrane in the head are easily disturbed by the various fine particles in the air in summertime.

So the real cause of hay fever is that people lead such abnormal lives that they are unduly upset by conditions common during the warm weather in the temperate zone.

The ordinary treatment of hay fever is mostly local. Various drugs are sprayed or applied on the sensitive spots of mucous membrane; or various electrical treatments are given;

COUGHS AND COLDS

cautery (burning) is resorted to. Too frequently in the past an excess of cocaine has been used, or too much adrenalin. For the benefit of those who use such powerful agents, it is well to remember that after these strong drugs have produced relief the condition grows worse again—even worse than it was originally.

Another treatment now very popular is to give the patient extract of the pollen to which they are sensitive. Some get absolutely no results from this treatment, and some report relief.

The symptoms of hay fever need very little describing. The red eyes, flowing tears, tickling, itching, sneezing, burning and irritation of the mucous membrane of the head are well known. Sometimes cough is present.

CURING CATARRH,

The mucous discharge is often very thin.

Hay fever is not the real disease. It is merely a symptom of internal perversions. For this reason it is not wise to be satisfied with local treatment of the hay fever. Remove the cause of the trouble, which is far more deep-seated than the mucous membrane manifestations.

One point that very few people ponder is this: Discomforts are generally signposts of internal perversions. Often it is possible to remove these signposts, but the internal perversions remain. It is possible to change the manifestations of disease, but what good does it do to subdue one form of trouble if another kind—maybe more dangerous—springs up to take its place?

COUGHS AND COLDS

If you will sit down and figure out the proposition, you will readily see that most of the medical treatment is merely tinkering with symptoms, that is, subduing effects. We ought to work with causes, and thus get permanently good results.

One of my old patrons will illustrate and illuminate this entire subject. He has been subject to hay fever for more than twenty years. He is prosperous and well able to give himself the right kind of care. He can have hay fever or he can escape it, as he elects, and he does not have to leave the city to remain free from the trouble. A large part of the time he treats himself well, but a part of the time he chooses to be self-indulgent. He is quite fond of fine liquors, and the Volstead Act seemingly has not changed the quan-

CURING CATARRH,

tity nor quality of his stock. Liquor does not agree with him; sometimes a moderate quantity makes him ill, but he indulges his desires once or twice a week, each time hoping that the evil results will not manifest. An excess of meat and bread also upset him—what is excess for him would be great moderation for many men. He runs his chances on these foods most of the time.

One fall he made up his mind to escape hay fever the next season. We limited the liquor strictly to one glass of wine a week—none would have been better.

We limited the meat eating to three times a week, and we entirely eliminated beef and pork. In the meal when he had meat we allowed potatoes, but prohibited bread.

COUGHS AND COLDS

Every breakfast he had some fresh fruit, and with that he had some kind of well baked grain food, but mushy foods were taboo. .

White sugar was left out of his menu, but he obtained sweets from raisins, figs, dates, prunes, ripe bananas, maple sugar and honey. He also had all fruits in season, except that grapefruit was almost entirely omitted because it was too acid for him.

At lunch he always had a large dish of plainly cooked succulent vegetable; with this he generally had buttermilk or cottage cheese and toast with butter.

At dinner he always had one or two liberal dishes of cooked succulent vegetables, and a goodly helping of raw vegetable salad. (He sometimes had raw vegetable salad for lunch too.

CURING CATARRH,

Study with care the last two chapters of this book.)

Vinegar was tabooed; so were pepper and mustard and pickles and jellies and jams and preserves and candies and anything containing pastry crust and all fried foods.

Most of the time he had no dessert, and when he indulged he had custard, or baked or cooked fruit, or dried fruit, or fresh fruit, or berries, or gelatin or sometimes plain vanilla ice cream.

If you have read with care you will notice that the gentleman ate the simple foods; that he avoided the complex, messy foods; that a large part of his breakfast consisted of fresh fruits (berries and melons in season); that a large part of his lunch was fresh vegetables; that a large part of his dinner was made up of fresh vegetables;

COUGHS AND COLDS

further, that he had cooked succulent vegetables twice a day and raw salad vegetables once or twice a day.

Besides this care in eating he took deep breathing exercises, dry rubs, and enough general exercises to keep his body tonic; he attended to the calls of nature. In a few months he was in superb physical condition.

Yes, that year he avoided hay fever, without going north or to the mountains or to the coast.

If you will do likewise, being sure to start months ahead of the hay fever season, the chances are largely in your favor of getting like results.

But this is not the end of the tale. The succeeding year this gentleman decided to lead a more hectic life. The hay fever again showed up. Since learning how to avoid the trouble, as

CURING CATARRH,

most individuals can if they start in time, he has some years avoided it and some years had it. But he has always been careful enough to avoid having the extreme form of the condition which was his portion from ten to twenty years ago.

To avoid hay fever, build up the general health, and then keep the body free from excessive amounts of acid and other wastes.

Those who are subject to hay fever should eat very sparingly of foods of animal origin, especially of eggs, fish and meat; and more especially of beef and pork. These foods contain too much waste, and it is waste in the body that puts the individual in condition to suffer from hay fever.

If the eyes are tender, sensitive and tearful, colored glasses and avoidance

COUGHS AND COLDS

of strong light will help to relieve. Some local measures are helpful. For instance, those who have sensitive mucous membrane in nose and throat will do well to use a spray of any kind of bland oil night and morning, during the entire winter, and even in warm weather. Gargle of normal salt solution is tonic to the mucous membrane, and a nasal wash of the same kind is all right.

Right living will clear up most of the nasal difficulties. If there are malformations in the nose so extensive that they obstruct breathing they should be removed. But surgical means are not often required, if the individual keeps his blood in good condition.

Again: Hay fever is a symptom of systemic abnormality. The correct

CURING CATARRH,

treatment is to live so as to attain good general health.

Asthma

Bronchial asthma is so distinctive that it usually diagnoses itself. The difficulty in breathing is sometimes so extreme that it seems impossible to support life, but the asthma itself seldom terminates life. Some other disease usually intervenes and proves fatal, before the asthma exhausts the individual.

Severe as this condition often is, the lungs and bronchial tubes show very little change. Sometimes there are signs of bronchial inflammation, and sometimes the respiratory apparatus appears almost normal.

In discussing this condition, we are excluding the form of asthma due to

COUGHS AND COLDS

such severe heart disease that the heart is no longer able to pump the blood with normal force, and consequently the vital fluid is dammed back in the lungs, causing difficult breathing. Obviously, in this condition the recovery of the asthma depends on the recovery of the heart.

Asthma is one of those troubles usually looked on as incurable. Recoveries are not expected, nor do recoveries often occur under ordinary treatment.

However, in ordinary cases of asthma under correct treatment (natural treatment) recoveries will occur in at least eight cases out of ten. Such patients can remain well after they do recover, provided they will give themselves the proper care.

To show you what can and will hap-

CURING CATARRH,

pen I shall take two instances from my own work:

Mr. A. had suffered for seven years. Four of these years were spent in Ohio. Three of them were spent in Denver, where he went to be cured by the climate. He worked out of doors to get the benefit of the good air. But neither the climate nor the expert medical men helped him back to health. He continued to show asthmatic symptoms daily. Then he came under my supervision. Please do not think that results come as quickly as they did in this case, but Mr. A. was free from asthmatic symptoms after following directions for two weeks. He remained under supervision two months. During that time he was educated in his manner of living, and he learned that by giving his body good care he

COUGHS AND COLDS

could remain free from the affliction. He used to exhibit himself every few months during the next three years, and there was no return of asthma in that time. He was thirty-five years old at the time of his recovery.

Mrs. C. had only suffered from asthma for four years, but it was in an aggravated form. Her spells were so bad that at times she had to spend several days in bed, due to weakness. She came from a family of doctors and had had expert attention from the cream of the profession in one of our largest cities. She was extremely hyperacid and suffered from indigestion. She was placed on a regime that reduced her hyperacidity and overcame her indigestion with the result that after she had lived correctly for a little less than a month she and the

CURING CATARRH,

asthmatic symptoms parted company. (Again, allow me to warn you that results cannot always be expected so quickly.) Mrs. C. was educated in ways of healthful living, and she remained well.

To illustrate the trouble sometimes encountered in these cases, let us tell the tale of Mrs. N. She had a house facing the park but she had been reduced to a condition where she could not even be taken there, much as she longed to go. Her asthma had troubled her over a decade. The good results came so quickly that they will not be recorded here. She was warned that she was not cured; but that the acid indigestion which caused the asthma had been relieved enough to cause the asthmatic symptoms to vanish. At the end of the first month she

COUGHS AND COLDS

knew she was well and refused to submit to further supervision and education. Four weeks later she begged to be taken back into the fold again. She had actually gone back to pork sausage and hot cakes for breakfast, plus other deadly foods! This time she remained under supervision long enough to learn balance and to appreciate the importance of right living. When last heard from she had had no asthmatic troubles in five years. She was forty-two years old at the time of recovery.

It would be easy to give illustrations among those who have suffered longer, but these will serve. The important point is that in ordinary asthma the vast majority of patients can recover from all their evil symptoms in a few months and they can through proper care remain well there-

CURING CATARRH,

after. There may be cases of ordinary asthma that absolutely refuse to yield, but I have not seen any of them. Great improvement has been the invariable rule even in those cases that refused to yield completely.

What causes asthma? In most instances autointoxication based on disturbances in the stomach and intestines. In this form of autointoxication, hyperacidity is nearly always a factor. Every case of asthma I have seen has been due to abnormality in some other part of the body; in other words, asthma practically never originates in the lungs, and it is useless to treat the lungs to overcome this trouble. The various forms of smoke and vapor and sedative drugs given may cause relaxation and temporary relief, but they do not cure. In the

COUGHS AND COLDS

three cases quoted above, over half of the cures consisted in correcting the eating habits of the sufferers and overcoming the hyperacidity. The rest of the cure consisted in building up the general health. Prevention of return of the trouble was based on educating the patients to live in harmony with nature's laws.

If the asthma is largely due to an excess of smoke, dust or gas in the air it will be necessary to eliminate that condition.

If the asthma is chiefly due to some other debilitating trouble in the body, such as sluggish liver or poorly functioning kidneys, it is necessary to build up the general health so as to remove the cause.

If the chief cause of asthma is constipation, establish bowel regularity

CURING CATARRH,

through proper eating, drinking, exercise and breathing and make the elimination normal.

If the chief cause is indigestion and hyperacidity—and that is nearly always the basic cause—eat right and drink right.

Here is a good place to pause a little and call attention to a most important fact: All of the diseases discussed in this book are one and the same thing, but the locations and the manifestations (symptoms) vary.

Some have the idea that nasal catarrh is a distinctly differentiated entity; laryngitis is another entity; asthma is a third individual proposition. But this is not true. These perversions are basically one, merely differing in their manifestation.

From this it would seem that the

COUGHS AND COLDS

causation is alike all through, and it is: The cause of all disease is living contrary to the laws of nature.

The cure of all diseases is living in conformity with nature's laws.

While we are speaking of nature's laws, it is well to remember that man is physical, emotional and mental (many will add spiritual). It is as important to take the emotional and mental natures into consideration as the physical factors.

Such depressing, destructive emotions as envy, jealousy, anger and hatred help to build disease. Those who have chronic troubles and are addicted to this kind of emotional living must remedy the matter before obtaining ideal results.

On the mental side it is necessary to become positive, that is, look forward

CURING CATARRH,

and upward with faith and hope, expecting the good things in life. Those who have not looked into these things often scoff when told that it is necessary to control the mind and the emotions, but a little disinterested study will soon make the truth manifest. The mind is the guide of the body. As it leads the body must follow. People who think sick invariably become sick. Those who truly desire health must think health.

“Now I place you,” I can hear some say, as my personal patrons often speak when I admonish them about right thinking. “You are a Christian Scientist.” But your surmise is wrong. If I were a Christian Scientist I should tell you that you have no body and you have no lungs and you have no bronchial tubes and hence you

COUGHS AND COLDS

can't have any asthma or catarrh or bronchitis or tonsillitis. Mental truths were known long before Mrs. Mary Baker G. Eddy walked this earth and passed on. Read your Bible with an illuminated mind and you will find the important truths of one of the most recent hobbies—psychology—clearly stated.

The first step in overcoming asthma is to make up your mind to get well.

Then start on the physical side to build up the general health. Read what has been said on that subject under the heading of Chronic Catarrh, and accordingly breathe fresh air, keep the bowels clean, make the skin active through baths and daily dry rubbings, improve the muscular, nervous and circulatory tone of the

CURING CATARRH,

body through exercise—in other words, build up the general health.

As for eating: If a patient is in bad condition and well fleshed it is a good idea to fast about a week. During a fast a person should be sure to keep warm, especially keep the feet warm; see that the bowels are well cleansed even if it is necessary to use a daily injection of warm water; and avoid strenuous exertions. Also, be cheerful, allowing no fears to possess the mind. There is no danger in a fast, absolutely no danger in the short fast itself. But fear is dangerous during the fasting period. More than one individual has scared himself, or has been scared by others, to the point of death. Those who are afraid should not fast.

In ordinary cases of asthma it is

COUGHS AND COLDS

best to avoid meat, fish and eggs for two or four weeks.

Here is a good eating plan for ordinary asthmatics:

Breakfast

One kind of fruit, cooked or raw, without sugar.

Toasted or stale whole wheat bread.
Butter.

Cup of cambric tea (one-third milk and two-thirds hot water).

Lunch

Whole wheat crackers or whole wheat bread (stale or toasted).

One or two cooked succulent vegetables (see last part of book for list of vegetables and mode of cooking).

Butter.

Glass of milk or buttermilk.

CURING CATARRH,

For example, a lunch like this:
Stale whole wheat bread, butter,
cooked carrots, spinach and a glass of
buttermilk. Have plenty of the vege-
tables.

Dinner

One kind of nuts, or cottage cheese,
or milk, or buttermilk.

Potatoes, or rice, or macaroni, or
crisp corn bread. Butter.

One or two cooked succulent vege-
tables, liberal amount.

A raw vegetable, or a vegetable
salad.

For example: Pecan nut meats,
baked potatoes, butter, stewed onions,
string beans and celery.

In making up menus I use the word
“or” quite frequently, and my patrons
have a peculiar habit of translating it
to mean “and.” Also, they are in the

COUGHS AND COLDS

habit of telling me something like this: "You didn't say anything about mince pie or pickled pig snoots, so I ate them." Those who get results are the ones who actually follow instructions.

Be sure to eat slowly, cook plainly and dress the foods simply, as elsewhere directed.

Please note that in the diet outlines suggested, all the foods are absolutely plain and natural. They are the foods that allow the body to clean house. Pickles, preserves, cakes, pies, puddings, fancy dressings, fried foods, greasy foods and all kinds of messy preparations help to foul the body, and internal filth is the real cause of asthma.

After living on the above plan long enough to get good results, start to

CURING CATARRH,

eat as recommended under the head of Chronic Catarrh.

It is impossible to get all the instructions you need in one reading, or two, or even three. To rid the body of an "incurable" disease is important enough to merit deep study of the directions.

.

Bronchial asthma is rather common among children, and it is mostly due to indigestion based on wrong feeding.

The writer has just seen a girl who is five and one-half years of age. Fourteen months ago this girl suffered severely from this disorder. She was living largely on mushes, sugar, sweet desserts, white bread and butter with jellies and jam, and milk. She was extremely hyperacid. We placed her on a diet like this: Breakfast com-

COUGHS AND COLDS

posed of glass of milk, one fresh fruit and whole wheat biscuit; lunch, stale whole wheat bread, butter, milk, and one cooked vegetable; dinner, baked potato, butter, one cooked vegetable, one raw vegetable, and one fruit. The bronchial asthma vanished in a few weeks and has not returned.

There is a neighbor boy of the same age who has had this trouble almost three years. The boy's mother saw what was done for the little girl, but it was evidently not to her liking, for she had his tonsils removed; then she had his adenoids scraped out. Each operation was supposed to be curative. The boy still suffers from bronchial asthma. The mother still feeds him greasy potato chips, white bread, jelly, pie, and various other foods not fit for children to eat.

CURING CATARRH,

Of course, children need fresh air; they need to be kept warm; they need to eat slowly; they need to keep their bowels clean; in short, they need good general care. If this care is extended, plus correct feeding, illness in childhood is almost eradicated.

Intestinal Indigestion

The digestive tract is on the average over twenty-five feet long. We have full control of the food that enters for only a few inches—the mouth. If we guard the mouth well, the digestive organs will take care of themselves. Give the body the right care and there will be no indigestion in stomach or intestines; especially eat right to avoid digestive ills.

Every cause that can in a systemic way produce disease in any part of

COUGHS AND COLDS

the body can be instrumental in causing indigestion, for depression of any one part causes depression of all parts.

But the paramount cause of intestinal digestion is wrong eating. Fried foods, greasy cooking, too great mixing of foods in each meal, elaborate dishes, undermasticating, hurried eating, and overeating are some of the principal factors that cause indigestion, intestinal or otherwise.

One prominent factor in intestinal indigestion is an excessive use of strong cathartics; and another one is depressing or violent emotions. Nothing will produce acute indigestion more quickly than anger.

In ordinary intestinal indigestion, observe these rules:

1.—If there are indications of too much acid in the body take one-third

CURING CATARRH,

of a level teaspoonful of common baking soda (sodium bicarbonate) and a glass of hot water thirty minutes before each meal. Do this for, say, two weeks; then for another week take two doses of the soda; for the fourth week take one dose of soda daily, and then quit it. No, soda taken in this way and for such a short time will not hurt you, but it will help to hasten your victory over the acidity which is usually a part of the indigestion. It is a good plan to keep up the hot water before meals for months.

2.—If constipation is present, for a while take a tepid enema, having a heaping teaspoonful of baking soda in the water. Use as small amount of water as you can to obtain results. If you can get results with one pint, use no more.

COUGHS AND COLDS

3.—Quit eating between meals. Use nothing but water between meals. Yes, taking milk and eggs and candy and broth and ice cream between meals is eating between meals.

4.—Masticate your food better than you ever did before, taking at least twenty minutes for your smallest meal and thirty minutes for your largest one—at least twenty minutes.

5.—Eat only foods that have been plainly cooked—no frying, no greasy foods, no messed up dishes like fancy dressings, puddings, cakes and crusty pastries.

6.—Eat only two or three foods at a meal until you have given the digestion a chance to return to normal. No, it is not necessary to eat great variety to obtain sufficient nourishment. A

CURING CATARRH,

plan like this, for instance, would give you plenty of nourishment:

Breakfast

Milk, stale or toasted bread and butter.

Lunch

A cooked succulent vegetable, either an egg or a dish of cottage cheese, and crackers and butter.

Dinner

Lean meat or fish, baked potatoes, butter, and one cooked succulent vegetable.

One can obtain plenty of nourishment from a menu like that until the intestines have time to regain tone. Then make the menus more elaborate, and be sure to add raw vegetables to

COUGHS AND COLDS

every dinner as soon as digestion improves.

In addition to the outline above, observe all health rules in this book, such as exercising, deep breathing, caring for the skin and correct drinking.

One form of indigestion of special interest in this book is intestinal catarrh, which is a condition in which the intestinal mucous membrane is so irritated that there is too free a flow of mucus. This condition may be so mild that there are almost no symptoms. There may be too much gas in the intestines; alternate constipation and diarrhea may also occur. There may be discomfort or it may be absent.

Ordinary intestinal catarrh needs no special treatment aside from the kind recommended under the heading of chronic catarrh. Eat carefully, ex-

CURING CATARRH,

ercise, keep the body clean within and without—in brief, build up the general health through living so as to create first-class blood. Then the catarrhal condition soon begins to improve.

If constipation is present I have found it a good plan to lubricate the bowel by giving the patient about a tablespoonful of paraffin oil daily—the preparation commonly known as mineral oil. Various makes will be found on the market.

Mucous colitis merits special attention for it is a disease that is generally considered incurable. Every patron who has come to me with this trouble has been told by other doctors that there is no way of recovering. Fortunately, this dark view is based on error. Those who have the will to recover can generally do so. The percentage of

COUGHS AND COLDS

recoveries under my observation has been very large. Read this chapter if you have any kind of indigestion.

In mucous colitis membranes, casts or great shreds of mucus are passed from time to time. Sometimes there is great abdominal pain before such passage; sometimes it is merely discomfort. Alternating constipation and diarrhea are sometimes annoying symptoms. The trouble is usually accompanied by various forms of nervousness. Ordinary mucous colitis is accompanied by great depression. One of the greatest problems is to instill a little hope and faith in the patients. Even when they see great improvement they are apt to slip back into the blues. My experience has been that people of good intellect who have this trouble can almost always overcome

CURING CATARRH,

it; but those who are short on intellect and long on depressing emotions are very difficult to help.

What is the cause of mucous colitis? The same as the cause of other catarrh, but here wrong eating is more in evidence than in most cases. Also, wrong direction of the thoughts and emotions plays a great part.

To illustrate: A business man who had made a financial success when he was only thirty years old had applied himself so closely to winning the business game that he had ruined his health. The result was a severe case of mucous colitis. When he came under my observation he was not quite thirty-one years old. For four years he had been afflicted with this trouble, which was growing worse all the time. He had the form that gives great ab-

COUGHS AND COLDS

dominal pains; he was alternately troubled with diarrhea and constipation. Periodically he passed great shreds of mucus, and these spells left him very weak. Moderate intestinal hemorrhage was frequent.

He had been under treatment all the time. Finally, in desperation, he pinned his doctors down to facts and wanted to know if they were merely playing with him for the sake of fees, or if they ever did obtain results; and if they did obtain results, how long did it take? Then he was told that his condition was incurable, but if he would give himself good care he might be fairly comfortable at most times.

He quit doctoring, and for two months he drifted. Then he met one of my old patrons who recovered ten years previously, with no relapse. He

CURING CATARRH,

hastened down to my office. He told me his tale of woe, and frankly expressed his opinion of the medical profession, myself included. Then he demanded that I guarantee to cure him. I told him that I never cure anybody; that I did not cure the gentleman whom he had met who had made such a nice recovery under my care; that I supply the knowledge and guidance, but nature does the curing; that I had never failed to help a person of his age and condition back to health, and presumably I could help him too; that if he came to me it was a sort of a sporting venture, in which I would do my best and he would have to coöperate. And then I frankly told him that without any personal reason he had been very insulting to me, but I would overlook this, due to his physical and

COUGHS AND COLDS

mental condition; however, in the future it would be neither tolerated nor overlooked, if he attempted to repeat.

He placed himself in my care, and this was the principal part of the treatment:

1.—On retiring in the evening and arising in the morning he was to repeat so loud that he could hear the words, several times, this sentiment: “I am going to recover in spite of everything.” When the blues came on during the day he was to repeat these words: “I am now living according to the laws of nature; it is natural to be healthy; so I will and must grow well.” Why this form of autosuggestion? Because it was necessary to eradicate from his mind the idea of incurability. Autosuggestion

CURING CATARRH,

is a very powerful healing factor if it is used to assert truth. If it is used to assert fallacy or lies it is worse than nugatory—it is then harmful. Self-deception is the worst form of lying.

2.—He had retired from business due to physical debility. He had been trying to walk miles at a time and usually finished in a semi-collapsed condition. I instructed him to walk just a few blocks at a time but sit out in the sunshine and rest. Then gradually increase his walks and exercise as he gained strength, but never exercise to the point of fagging. In other words, we reserved some of his energy for health building.

3.—In the past he used to eat even when having his worst spells of indigestion. He was instructed to miss a meal or two entirely when having

COUGHS AND COLDS

his worst troubles; at such times he could sip all the hot water he wished, adding a pinch of common baking soda on account of its sweetening effect.

4.—To escape the evil effects of constipation until he could make the bowels function normally, we used the mildest laxatives we could think of—in his case agar-agar, mineral oil and cascara, keeping the amount as low as possible and still get results. We also used small tepid enemas in which we dissolved a heaped teaspoonful of baking soda to the quart of water. We used the soda because of his acid condition.

5.—In the middle of the forenoon and in the middle of the afternoon he rested body and mind, that is, relaxed, for an hour.

CURING CATARRH,

6.—As the digestive disturbance was extreme, affecting both stomach and bowels, we had to start with the simplest of foods. For a time we eliminated all products made of yeast, all meats, in fact we eliminated everything except the plainest of foods. The plan was as follows:

Breakfast

Crisped white crackers, butter and a glass of milk.

Lunch

Plainly cooked rice, glass of milk, and one plainly cooked succulent vegetable.

Dinner

Baked potato, butter, and one plainly cooked succulent vegetable.

The reason for the white crackers

COUGHS AND COLDS

was that although they are not as good food as the whole wheat products, they are easier to digest. Rice is also easy to digest. So is baked potato. The vegetables were given because when they are properly prepared they are easy to digest; they help to overcome the acidity of the body, and they help to regulate the bowels.

As he improved, we allowed him to have fruit for breakfast; and we allowed more variety at lunch; and we soon let him have eggs or fish for dinner. Also we allowed him to have crisp head lettuce and tender celery, as soon as the bleeding from the lower bowel ceased. At the end of two months we were feeding him very much according to the outlines in the chapter on Chronic Catarrh.

What were the results in this case?

CURING CATARRH,

Decided improvement in the digestion was noted in two weeks. He had less gas; he was less nervous, and he slept better. During the first month the bleeding from the bowels and the abdominal cramps vanished; the discharge of mucus grew less frequent and smaller in amount. At the end of two months the patient was feeling much stronger, and he was anxious to get back to business, but there was still some mucus in the intestines.

As the young man had plenty of funds and for the time being no business connections he was told that it would be a good thing to go to some warm climate and spend a few months out of doors and build up his general health. He went to California and he remained there three months. He returned in excellent health. It took

COUGHS AND COLDS

him, all told, about three months to conquer the mucous colitis. He could have done it without going to California, of course, for he was almost well when he started on his journey.

He is now back in business harness, doing well in every way.

The reason for this tale is that mucous colitis is the worst form of intestinal indigestion of which I know. If you can cure it, you can cure any other kind of intestinal catarrh. And the outline for so doing is here given. It is impossible to describe in detail every kind of indigestion, and give the treatment. I have never seen two cases that were alike. The fundamentals are alike, but the details differ.

Read the two last chapters of this book.

Many can take the directions here

CURING CATARRH,

and help themselves back to health. Others lack the faculty and will have to have some one with the proper knowledge to give them personal guidance.

Here again I wish to emphasize a truth that has been told elsewhere in this volume. I tell about good results obtained. The reason for these excellent results is not that the writer is a wonder—far, far from it. The reason is that right principles are used, and the sick are treated in accordance with the laws of nature. When this is done the results will come no matter who the guide or teacher or doctor may be.

COUGHS AND COLDS

FOOD CLASSIFICATION

PROTEINS

The principal sources of protein are:

1. Meats of all kinds (the lean part), such as beef, veal, mutton, lean pork, chicken, turkey, duck, goose, game, both feathered and furred, in fact, all lean flesh from animals and birds.
2. Fish of all kinds, such as trout, salmon, herring, pickerel, pike, cod, halibut, mackerel, sturgeon, and shad. Also shellfish, like oysters (which are mostly water), clams, crabs and lobsters.
3. Legumes, the chief of which are all kinds of dried beans, dried peas, lentils and peanuts. Also green peas, and both the green and the dried lima beans.
4. Dairy products, including sweet milk, clabbered milk, buttermilk,

CURING CATARRH,

cottage cheese and all other kinds of cheese. Cream contains but little protein, and butter practically none.

5. Nuts, especially almonds, Brazil nuts, filberts, hickory nuts, pecans, English walnuts, butter-nuts, pistachios and pignolias. (Peanuts are legumes, not real nuts. Chestnuts contain much starch and only a little protein.)

STARCHES

The chief sources of our starchy foods are:

1. Cereals, the most important being wheats of all kinds, Indian corn, rice, rye, barley, oats. No matter in what form we eat them—in bread, cakes, mushes, flaked or puffed cereals—they are starchy.
2. Tubers, the most important being Irish potatoes, sweet potatoes and Jerusalem artichoke. The dash-
een is also a tuber, which resembles the Irish potato in consistency, and has an agreeable flavor.

COUGHS AND COLDS

3. Legumes, especially when they are ripe. The ripe limas, navy beans and other kinds of ripe beans, peas, lentils and peanuts are starchy. Green limas and young peas contain more starch than the other vegetables usually classified as succulent.

4. Nuts, but only a few varieties. Acorns, dried chestnuts and coconuts are rich in starch.

Hubbard squash contains about the same proportion of starch as the Irish potato.

Parsnips are rich in starch.

Green bananas are about as starchy as Irish potatoes, but ripe bananas contain only a trace of starch, for it has been turned to sugar.

Pumpkins are of watery consistency, and can be classed with the succulent vegetables.

Tapioca and sago are very starchy.

Corn starch is the starchy essence of the corn.

Spaghetti and macaroni are cereals, hence starchy.

CURING CATARRH,

SUGARS

The principal sources of sugars are:

1. Sweet fruits, the most important of which are ripe bananas, currants, sweet grapes, raisins, sweet prunes, figs, dates and persimmons. All ripe fruits contain some sugar and the dried fruits are rich in this food element.
2. Sugar cane and sugar beets, from which nearly all of the refined white sugar is made.
3. Honey.
4. Sap of the sugar maple.

FATS AND OILS

The chief sources of our fats are:

1. Dairy products—cream, butter and some rich cheeses.
2. Flesh of dead animals, especially pork, mutton and beef, that have been fattened.
3. Fat fish, such as herring, shad and salmon trout.
4. Legumes. Some kinds of peanuts

COUGHS AND COLDS

are very oily, and so are soy beans.

5. Nuts of nearly every kind. Almonds, Brazil nuts, filberts, hickory nuts, pecans, English walnuts, butternuts, cocoanuts, pistachios and acorns are rich in oil.

SUCCULENT VEGETABLES

The principal succulent vegetables are:

Asparagus, beets, cabbage, carrots, turnips, parsnips, cauliflower, cucumber, egg plant, lettuce, okra (gumbo), onions, radish, summer squash, tomatoes, spinach, kohl-rabi, kale, Brussels sprouts, cone artichoke, chard, string beans, celery, turnip tops, lotus, endive, dandelion, oyster plant, rutabaga and garlic. Though corn is really a cereal, corn in the milk, either on the cob or canned, and green peas may also be classed with the succulent vegetables. Also the pumpkin.

Mushroom is a fungus. Those who are fond of it may partake occasion-

CURING CATARRH,

ally, but fungous growths cannot be recommended as a steady diet.

Young lima beans are quite starchy, as much so as Irish potatoes. Parsnips are also quite rich in starch.

Radishes are delicious peeled and cooked.

Macaroni and spaghetti are *not* vegetables. They are made from wheat and are very starchy. They are cereal foods.

RAW SALAD VEGETABLES

These are also succulent vegetables.

The principal salad vegetables are:

Lettuce, celery, endive, romaine, chicory, tomatoes, cucumbers, cabbage, celery cabbage, parsley, field lettuce, cress. All leaves that are relished may be used for salad purposes.

Raw onions in moderation may be used for flavoring, and garlic likewise. Those who are fond of raw root vegetables and have good digestive power may occasionally eat some raw carrots or turnips, but they should masticate these foods very well. Grated carrot tastes well in salads.

COUGHS AND COLDS

FRUITS

The term "acid fruit" means fruit that is quite sour, like sour apples, pineapples and lemons.

"Subacid fruit" is a mild fruit, containing only a little acid, such as mild pears, sweet apples and good blueberries.

Some of the most common *juicy fruits* are:

Apples, lemons, oranges, peaches, pears, strawberries, apricots, avocados, blackberries, cherries, cranberries, currants, gooseberries, grapes, huckleberries, blueberries, mulberries, nectarines, olives, pineapples, plums, raspberries and whortleberries.

The melons (watermelon, muskmelon, cantaloupe, casaba, honey dew, etc.), rhubarb stalk and tomatoes are so like fruit that for practical purposes we can call them so.

The most important *sweet fruits* are:

Ripe bananas, sweet prunes, sweet grapes, raisins, dried currants, figs, dates and persimmons.

CURING CATARRH,

Cooking Hints

In most of my manuals of instructions reference is made to "Eating for Health and Efficiency," with the recommendation that the reader obtain that work and follow directions in various chapters. This has aroused the ire of some readers who see in it a brazen book-selling scheme; they say that everything should be complete in one book.

By adding 500 pages to this book, it would be possible to give a full treatise on the subject of selecting, preparing and combining foods, but it is not practicable to do this. This has been done, however, in "Eating for Health and Efficiency," which tells

COUGHS AND COLDS

what foods to select, how to prepare them, how to combine them, how to dress them and which ones of them to eat in various circumstances of climate and occupation. I am convinced that every family should have a work of this nature, written from the standpoint of health. True, a work of this kind costs a few dollars, but it is good for life and it can be used to save a person from much disease and suffering, yes, even from premature death. When intelligently used, it can easily be made to pay thousands of dollars worth of dividends in health. Every family owes it to itself to have this kind of information in the home.

Just pause and consider a little: The human body is composed of air, water and food. Food is the basis of the material part of life. It is the

CURING CATARRH,

stone and brick and wood and glass and mortar and steel that enter into the building of our bodies. You have watched builders erect various kinds of edifices. They do not scramble their materials into a haphazard heap. They know how and where to place the different materials they use. They do not throw window panes in the mortar; they do not attempt to attach steel beams to each other by means of wooden pegs; they do not scatter great blocks of stone on the roof.

The human body is far more delicate, complex and important than any edifice erected by man. If you value this human structure of yours supply to it the right kind of food, in correct combinations, in proper quantities, at propitious times. For some thousands of years a few individuals have

COUGHS AND COLDS

known that right feeding is the most important factor in maintaining physical health, or in regaining lost health. Now that the printing presses have been at work for several centuries everybody ought to have this knowledge. But vital truth does travel very slowly.

You ought to have a complete treatise on the subject of food and feeding, and then you ought to study it until you know the fundamentals. Your health largely depends on such knowledge, and health is the foundation on which you can erect your structure of successful life.

This is not a complete treatise on food preparation; it is merely a collection of a few important points. I trust that after you have absorbed the knowledge in these pages and put it

CURING CATARRH,

into practice you will do yourself and your family the favor of making your food and feeding knowledge as complete as it needs to be.

Meat: Prepare by means of stewing, baking in the oven, roasting in the old fashion before or above an open fire, broiling or steaming. Or use a fireless cooker or a pressure cooker. If you use either of the latter two methods you will find directions accompanying the utensils, but you need not season as they direct. The proper way to obtain a tender, juicy piece of meat is to apply high heat in the very beginning, for about fifteen minutes in case it is a moderate sized piece of meat, and then finish the cooking at a lower temperature. If you place a piece of meat in a cool oven, grad-

COUGHS AND COLDS

ually raise the temperature and finish with high heat, you are very apt to have a tough, dry roast. If you put the meat into a piping hot oven the heat sears the surface and keeps the juices in the meat.

If meat is boiled it should not be seasoned until it is almost cooked. Season in moderation always. An excess of salt tends to age the individual prematurely.

To mix greasy meat juices with flour and other kinds of starch, making thickened gravy, or brown gravy is a mistake from the standpoint of health. Cooking grease into flour or into other forms of starch produces food that is very helpful in building catarrh and other ills.

Frying is the most objectionable mode of cooking. The process of fry-

CURING CATARRH,

ing renders a part of the food indigestible, and after a while helps to ruin the digestive apparatus. "But I do not fry in lard; I use butter," some say, thinking that this makes the process all right. It is not the source of the fat that is objectionable, it is the frying process itself. Butter-fried foods are as bad as lard-fried ones. Others are still more virtuous and say: "I don't use animal grease; I fry in olive oil." These individuals have the idea that if they use vegetable fats for frying the process is innocent. Again, it is not the source of the fat that is objectionable; it is the frying process itself that is bad. Don't fry anything if you are desirous of building the best kind of health. Avoid greasy cooking.

Season the meats when the cooking process is almost finished or let each

COUGHS AND COLDS

individual do most of the seasoning at the table. Pepper, mustard, sharp sauces and hot condiments are irritants which overstimulate the appetite, lead to overeating and hurt the digestive organs.

Pickled and preserved meats are rather poor foods, and should seldom be used.

Catarrhal subjects should never eat meat more than once a day in cold weather, and not to exceed three times a week in summer.

Meat is not a necessary food.

Fish is best boiled, broiled or baked. Fish easily becomes tainted, so select it with care to see that it is fresh.

Avoid fried fish.

Eggs can be prepared in your favorite way, with the exception that

CURING CATARRH,

they are not to be cooked in much grease. Greasing a pan enough to keep the eggs (or other foods) from sticking does not do any harm. Eggs can be made into omelettes or scrambled. But to cook eggs in sputtering grease is wrong.

Soft boiled eggs, poached eggs and coddled eggs are easy to digest.

If properly prepared, hard boiled eggs are also easy to digest. The wrong way to cook a hard boiled egg is to leave it in boiling water five or six minutes. The right way is to cook it twenty or thirty minutes. Then it becomes mealy and tender.

Potatoes are best baked, or boiled in the jacket or steamed. If potatoes are peeled, soaked in cold water and then cooked they lose a large part of

COUGHS AND COLDS

their nutritive value and a very large portion of their health-bearing virtues—natural salts.

If potatoes are well scrubbed and baked, they can be eaten peeling and all. From the standpoint of health, the best portion of the potato is close to the skin. .

If you wish to spoil your potatoes fry them—German, French, or American method will do. It is not the nationality of the method that is objectionable; it is the frying process itself that is bad.

Bread should be made as near as possible from whole grain flour, that is, flour made by grinding the entire grain. White flour products are very easy to digest, but they are poor foods. Refined flour is poor in mineral ele-

CURING CATARRH,

ments, poor in the vital principles that build rich blood and strength and health. It is a blood-starving food.

Whole wheat flour products are a little harder to digest than the white flour foods, but ordinary digestion will take care of the whole grain products, and they are the ones that should be used. Unfortunately, the great flour milling interests have found it to their financial advantage to mislead the public on this point, which is one reason that they now are advertising eating bran. Yes, there are plenty of "experts" who will tell of the superiority of white flour—for a consideration. And there are multitudes of housewives who are deceived to accept the death-dealing white loaves.

If you value your health get the habit of using as much whole grain

COUGHS AND COLDS

flour as you can, and as little of the white flour products as possible.

Yeast bread should be stale before it is consumed, and bread should always be well masticated. Avoid fresh yeast bread.

Toasting starts the digestive process by changing a part of the bread starch into a form of sugar, and there is no objection to it. The best method of toasting is to slice stale bread fairly thin and put into a slow oven until it is crisped throughout.

Muffins, gems, baking powder biscuits and *soda biscuits* can safely be eaten fresh provided they are made thin, well baked and thoroughly masticated. They take the place of bread.

Corn bread should be made thin and baked crisp and crusty. It should be extra well masticated.

CURING CATARRH,

To use sugar, jelly, jam and fruit preserves on bread is a mistake, for in the end the result is abnormal fermentation and production of an excessive amount of acid and gas in the digestive organs. This helps to build catarrh in those who have a catarrhal tendency.

Cooked cereals, that is, mushes made out of grains, such as oats or wheat, are good food provided no sugar is added to them, and further provided that they are thoroughly masticated. It should require fifteen minutes to eat a dish of such cooked cereal. But most people take but three or four minutes for this purpose and bury the cereal in sugar. "How can one masticate mush?" is a frequent question. It is not the chewing that

COUGHS AND COLDS

is important in eating this dish, it is the insalivation. Cereal mushes are starchy and should be well mixed with saliva. Otherwise they readily go into abnormal fermentation. It is customary to feed such food to children. The mushes are rich in nourishment, but they are very poor foods for the young people because children swallow them without giving them mouth attention, and the result is fermentation in the digestive organs, with excessive production of gas and acid. Then follow such troubles as adenoids, enlarged glands, swollen tonsils, catarrh and various forms of skin eruptions.

Verily this sounds less and less like a cooking chapter.

But it is well to remember that breakfast mushes are mostly a curse,

CURING CATARRH,

especially for children. It is all right for slow and careful masticaters to eat mushes.

White or refined sugar is one of our health problems. A person quickly acquires a taste for sugar. It quickly digests, and can in a short time be turned into heat and energy. Its one virtue is that it is a quickly available source of heat and energy.

Its great fault is that it is almost a pure carbon, a dead food, devoid of all health-giving properties. From the health standpoint it is the worst of all our staples. It should be eaten in very limited quantities. We ought to obtain most of our sugar from various kinds of berries, melons and fruits; also from honey, maple sugar and the dark sugars. Instead of eating a hun-

COUGHS AND COLDS

dred pounds of white sugar apiece each year, as Americans do, they should confine themselves to about one-tenth of this quantity.

Vegetables: First look up the list of succulent vegetables in this book, and then review in your mind how they are usually prepared. Let us use string beans as an example: They are first made ready, then placed in salted water which often contains a piece of bacon or other fat meat; then they are cooked until tender; then the cooking water is drained off; then some sort of sauce, either of milk and flour, or some kind of greasy substance, is concocted, and then this disguised vegetable is served.

If a person studied to do the worst possible, it would be difficult to pre-

CURING CATARRH,

pare a more worthless dish from the health standpoint; that kind of cooking deprives the valuable vegetables of most of their salts. Let us see how string beans should be prepared to give the consumer full benefit:

After stringing and washing, place the beans in clear unseasoned water and allow to cook until tender. Then season moderately and serve with the cooking water.

That is all there is to it. Let us see why this is the correct way:

Using salt in the water merely adds a chemical of which the body has no need when the eating is right; an excess of salt toughens the food. Adding meat or grease while the vegetable is cooking makes the beans too difficult to digest—greasy cooking in the end produces indigestion. If salt is

COUGHS AND COLDS

desired, add the salt when the beans are almost ready to be taken from the fire. Then the vegetable is not made tough. The cooking water contains most of the valuable cell salts originally in the string beans; as these cell salts are health-builders they should be consumed. Use a moderate amount of cooking water.

Really, no dressing has to be used, but most people prefer it. For dressing use a little butter, or some real cream, or oil, or a little salt, or salt and lemon juice. Avoid vinegar in dressing vegetables. Use tart fruit juices instead.

Why this lengthy discourse on the modest string bean?

Because it applies to almost all of the vegetables. You can take turnips, carrots, cauliflower, cabbage, onions

CURING CATARRH,

or almost any succulent vegetable and prepare in this manner, so as to build health. Cook them plainly, without adding meat or grease while the cooking is going on; retain the cooking water because that contains most of the health-building salts; and use only simple seasoning. Serving vegetables in thin flour or starch paste is poor taste, and very poor cooking.

Steaming and fireless cooking and pressure cooking are good methods of preparing vegetables.

Vegetable salads: For a list of these vegetables see the paragraphs under the heading of Raw Salad Vegetables.

The raw vegetables contain salts and juices that help to keep the blood alkaline and pure and healthy. If pos-

COUGHS AND COLDS

sible, raw vegetables should form a part of at least one meal daily—make it possible. It would be fine to serve them twice a day.

The raw root vegetables are somewhat difficult to digest. Some find it trying to digest raw cabbage and raw onions. But the average digestive apparatus will take good care of lettuce, celery and other leafy salad vegetables. Any of the raw leafy vegetables that the individual relishes and is able to digest make good salad materials. Those who have excellent digestion can at times add raw root vegetables to their salad, such as carrots, turnips and radishes; or cucumbers; or any other raw vegetable that pleases the taste. Raw vegetables should be very well masticated.

Some like to make combination

CURING CATARRH,

salads containing from four to eight or even more vegetables. This may serve for those with exceptionally good digestion, but the best way is to eat one or two or three raw vegetables as the salad part of the meal, and let the other fellow have the complex mixtures. Simplicity is an aid to health.

The chief reason for eating raw vegetables is to furnish elements to keep the blood in its normal alkaline reaction. Vinegar is acidulating to the body, and for this reason it should not be used on salads or in any other way. Those who want to make their foods sour should add lemon juice, or grapefruit juice, or pineapple juice, or the juice of any other tart fruit. It is well to remember that a moderate amount of these fruit acids does not acidulate the body, but vinegar has

COUGHS AND COLDS

this evil effect. Those who like mixed salad dressings should know that lemon juice can be employed where vinegar has been used in the past. People with natural taste enjoy raw vegetables without dressing. A little salt may be used; or salt and oil; or salt, oil and lemon juice; or lemon juice and salt.

The greatest blood-purifying aid is obtained when the salad ingredients are raw.

Fruit salads are best when the fruits or berries used are raw. A liberal amount of lettuce or celery mixed with the fruit improves the salad as a health-builder.

Fruits: They are best raw, without sugar. Much fruit is spoiled by being made into jelly, jam and preserves. Canned vegetables are quite

CURING CATARRH,

good when fresh ones are out of the question, but canned fruits ferment too easily in the digestive tract, and they are usually embalmed in syrup. If fresh fruits are not to be had, get a supply of good dried fruits, or evaporated fruits. Use canned fruits rather seldom. "But my fruits are home canned," I hear ye good housewife say. It is the canning in syrup and the subsequent abnormal fermenting to which objection is made, not the place where the canning is done.

Cooked fruits should be consumed the same day as they are prepared.

Fruits are health builders when they are not ruined in preparation and combination. The chief mistake made is to dose them with sugar. Raisins, figs and dates can be used as sweeteners. In baking apples, for instance: Core

COUGHS AND COLDS

the apples, and fill the centers with thoroughly soaked raisins, using the juice for dressing or sauce on the apple. (If the raisins are not soaked they will not sweeten the apple.) The results are good.

These are a few fundamental hints on cooking for health. I hope they will help you, also that they will arouse your interest enough so that you will learn more of the subject of food and feeding.

Health is yours if you make a reasonable effort, physically and mentally, to obtain it.

Eating for Health and Efficiency

A Course of Health Instruction:

In Five Volumes, Price \$10.00

CONTENTS OF COMPLETE WORK

BOOK ONE

CHAPTER	PAGE
1. THE IMPORTANCE OF PROPER EATING	1
An illustration. Disease cured by proper eating. Building of strong bodies. Feeding most important health factor. How the body uses foods. Menu for school child.	
2. FOOD CLASSIFICATION	19
Starches. Sugars. Oils and Fats. Succulent vegetables. Salad vegetables. Juicy fruits and sweet fruits. Menu for young people with pimply faces.	
3. MEAT EATING	37
Ripened meats. Fresh meats best. Meats easy to digest. Overeating of meats. Meats as stimulants. How often to eat meats. Milk, eggs and dairy products.	
4. COLD WEATHER EATING FOR MEAT EATERS	51
Balanced meals. Advantages of proper eating. Menus for sedentary individuals. Menus explained. Menu for manual laborers.	

CONTENTS OF COMPLETE WORK

CHAPTER	PAGE
5. THE BENEFICIAL EFFECTS OF A CORRECT DIET	71
Money saved. Earning capacity increased. Common troubles, like colds, bad breath, “that tired feeling,” insomnia, coated tongue, obesity and bad complexion cured by right eating. Face and figure improved and beauty increased.	
6. VEGETARIAN DIET	81
All necessary food principles in vegetarian diet. Milk and eggs as addition to vege- tarian food. Effects of overeating of starch. Menus for sedentary individuals and manual laborers. Fruitarians.	
7. COLD WEATHER EATING FOR VEGETARIANS .	94
Vegetarianism and health. Menus for sed- entary individuals. Cost of some vegetable foods. Menu for laborer.	

BOOK TWO

8. COOKING FOR HEALTH—a	111
Introduction. Meat cooking. Recipes. Stewing, boiling, baking, roasting, broiling, steaming, fireless cooking, pressure cooking, frying, seasoning. Preparing eggs and fish.	
9. COOKING FOR HEALTH—b	124
Preparing beans, peas and lentils. Prepar- ing all kinds of cereals—bread, biscuit, macaroni, mushes, etc. Cooking potatoes and other tubers.	

CONTENTS OF COMPLETE WORK

CHAPTER	PAGE
10. COOKING FOR HEALTH—c	135
Preparing succulent vegetables. Preparations and recipes for vegetable salads, fruit and vegetable salads, fruit and nut and vegetable salads. Salad dressings. Cooking fruit. Dairy products.	
11. WARM WEATHER EATING FOR MEAT EATERS	158
Menus for sedentary workers, and comments. Menus for laborers. General hints for summer eating.	
12. WARM WEATHER EATING FOR VEGETARIANS	173
Menus for light workers. Menus for laborers. Colds—their prevention and cure. Diet for those who easily take cold.	
13. CORRECT FOOD COMBINING—a	190
Importance of correct combining. Prejudices regarding food. Simplicity in feeding.	
14. CORRECT FOOD COMBINING—b	197
Combining of meat and other proteins, fats and oils, milk, starchy foods, vegetables, juicy fruits and acid fruits and sweet fruits, sugar and other sweets.	
15. CORRECT FOOD COMBINING—c	204
Notes and illustrations of combining. Numerous meals planned.	

CONTENTS OF COMPLETE WORK

BOOK THREE

CHAPTER	PAGE
16. EATING TO REDUCE WEIGHT	219
Fatness a disease. Several reducing plans. Normal weight. Reducing menus.	
17. EATING TO GAIN WEIGHT	235
Thinness and longevity. Hints for different types of thin people. Thinness and hyper- acidity. Menus for thin people. Chronic catarrh and its cure.	
18. EATING IN PREGNANCY AND DURING THE NURSING PERIOD	248
“Eating for two.” Eating during the first half of pregnancy; during the last half. Morning sickness and other disturbances seldom necessary. Easy childbirth. Eat- ing during nursing period. Menus.	
19. FEEDING THE BABY	263
How often to feed. Mother’s milk best. Artificial feeding. Cow’s milk in infancy. Fruit and vegetable juices. Weaning. Cleanliness.	
20. FEEDING THE CHILDREN	280
Feeding during second year. Feeding after second year. Lunching. Menus. Simple feeding. Various foods at different ages. Infantile paralysis.	

CONTENTS OF COMPLETE WORK

CHAPTER	PAGE
21. EATING AFTER PASSING MIDDLE AGE . . .	303
Necessity of changing habits with passing years. Chronic disease unnecessary. Rules for retaining health. Menus for light workers. Menus for manual laborers.	

BOOK FOUR

22. LAXATIVE FOODS	319
Constipation a serious trouble. Experiences. Laxatives, cathartics and enemas. Menus for the constipated. How to substitute one food for another.	
23. CONSTIPATING FOODS	331
Refined foods and constipation. Effect of fresh vegetables, fruits and cream. Treatment of persistent diarrhea. Coffee and tea and constipation.	
24. WHEN AND HOW TO EAT	339
Work and eating time. Number of meals per day. Regularity. Heavy work and digestion. How to eat. Importance of thorough mastication. Rules for eating.	
25. HOW MUCH TO EAT	350
Size of many portions. Rules for learning how much one needs. How to detect over-eating. Menus for those suffering with the hives.	

CONTENTS OF COMPLETE WORK

CHAPTER	PAGE
26. FEEDING IN ACUTE DISEASE	360
Pain and fever. Feeding in fever. Typhoid and its treatment. Menus after fevers and fasts.	
27. FEEDING IN CHRONIC DISEASE	376
Cause of chronic disease. Its cure. Rules for feeding. Cleansing diet. Menus. How to retain health.	
28. EATING AWAY FROM HOME—WHEN TRAV- ELING	387
Banquets. Luncheons and teas. Eating when traveling. Eating in country hotels. Meals planned.	
29. POPULAR MENUS AND COMMENT	396
Menus of a club, a diner, a diet squad. Feeding the soldiers. Thanksgiving day menu.	

BOOK FIVE

30. EATING IN THE COUNTRY AND IN COUNTRY TOWNS	413
Reducing high living cost. Gardening. Popular country meals. Milk and eggs on the farm. Menus. Country cooking.	
31. RAW FOODS	433
Foods that are good raw. Raw cereals hard to digest. Meaning of disease symptoms—coated tongue, red nose, bad complexion, falling hair, cold sores, etc.	

CONTENTS OF COMPLETE WORK

CHAPTER	PAGE
32. CANDIES AND CONFECTIONS	443
Craving for sweets. Sweet fruits and their uses. Meals containing sweet fruits. Candy meals.	
33. NUTS AND PEANUTS	450
Digestion of nuts. Their food value. Various nut preparations. Peanut preparations in detail.	
34. DIET HINTS FOR VARIOUS TYPES	464
Nervous types. Thin people. Plethoric individuals. Fat people. Hints for the rheumatic. Menus for rheumatics.	
35. WHAT AND WHEN TO DRINK	476
Coffee, tea, chocolate and fruit drinks. Alcohol. Beer substitutes. Milk. Cereal drinks. Water the best beverage. Milk diet.	
36. POPULAR HEALING SYSTEMS EXPLAINED	487
Allopaths, Eclectics and Homeopaths. Mechanical systems, like osteopathy and chiropractic. Mental systems like Christian Science and New Thought. The rational system.	


The Complete Work in 5 Volumes

Price \$10.00 Postpaid

GRANT PUBLISHING COMPANY, INC.,

1133 Broadway, New York

LIBRARY OF CONGRESS



0 040 055 194 7